

**Term Contract 070B**

STATE OF NORTH CAROLINA, DEPARTMENT OF ADMINISTRATION		
DIVISION OF PURCHASE AND CONTRACT		
116 West Jones Street, Raleigh, NC 27603-8002		
<b>Term Contract</b>	<b>070B</b>	<b>2012 Model Year Law Enforcement Vehicles</b>
<b>Effective Dates</b>	October 13, 2011 through October 12, 2012	
<b>Bid Number</b>	201101281	
<b>Administrator</b>	Grant Braley	
<b>Phone</b>	(919) 807-4550	
<b>Fax</b>	(919) 807-4510	
<b>E-Mail</b>	<a href="mailto:grant.braley@doa.nc.gov">grant.braley@doa.nc.gov</a>	
<b>Last Updated</b>	January 20, 2012	

**1. General Information**

**State Agencies**

All State agencies, except those exempted below, are to fulfill their Law Enforcement Vehicle requirements through [Motor Fleet Management](#).

- Public Schools and Regional Centers
- Community Colleges and Technical Institutes (not including the Raleigh Administration Offices)
- Highway Patrol, ALE, Butler Public Safety, SBI.
- General Assembly
- Driver's Education (Division of the Department of Public Instruction)
- UNC System

**If you have questions regarding whether you are required to use Motor Fleet Management please contact:**

**[Motor Fleet Management](#)  
Jackie Montgomery  
(919) 733-6540**

**Non-State Agencies**

In accordance with North Carolina General Statutes, certain non-state entities described below, may participate in this contract on a voluntary basis. Any of the non-state entities that choose to participate in this contract must abide by the terms and conditions that are set forth in this contract.

Nonprofit corporations operating charitable hospitals, local nonprofit community sheltered workshops or centers that meet standards established by the Division of Vocational Rehabilitation of the Department of Health and Human Services, private nonprofit agencies licensed or approved by the Department of Health and Human Services as child placing agencies, residential child-care facilities, private nonprofit rural, community, and migrant health centers designated by the Office of Rural Health and Resource Development, private higher education institutions, counties, cities, towns, governmental entities, volunteer fire departments, rescue squads, and other subdivisions of the State and public agencies thereof.

**Do Not Sign Forms**

The Agency is cautioned not to sign any forms presented or mailed to user by contractor or manufacturer, except in cases where a particular form may be specifically authorized elsewhere in the contract. Examples of forms which should not be signed are those which involve assignment of motor vehicle sales proceeds accounts, or assignment, forfeiture, or alteration of any other contractual provisions or rights. The only forms which the user should otherwise sign when picking up the vehicle are DMV Form MVR-1 (or latest revision), title application, odometer mileage statement, and a copy of the buyer's order or the invoice to acknowledge receipt of the vehicle.

**2. Scope of Contract**

This contract is intended to cover normal requirements for 2012 model year law enforcement vehicles beginning **October 13, 2011 to October 12, 2012**. In stock vehicles meeting specifications and bid prices shown herein may be purchased from this contract after receipt of notification of factory production cut-off, subject to availability.

**Term Contract 070B**

**3. Pick-Up Locations**

This contract allows for vehicles to be picked up in locations shown.

<b>Contractor</b>	<b>Wake County (Pick-Up Location)</b>
<b>Bobby Murray Chevrolet</b>	<b>Bobby Murray Chevrolet</b> 1820 Capital Boulevard Raleigh NC 27604

**4. Placement of Orders**

**The Contractor shall immediately acknowledge in written format, to the ordering agencies receipt of their purchase orders.** If an agency does not receive order confirmation from the contractor within **three (3) business days**, the agency should contact the contractor to verify. Cut off dates shown are subject to change.

Orders will be placed throughout the contract period on an as-needed basis for the quantity required at the time, and will be issued directly to the respective contractor(s) or their designated suppliers. Contract changes, if any, over the life of the contract are implemented by contract addenda released by the Contract Administrator to the contractor. If the contractor is accepting orders and/or delivering through other parties, for example a manufacturer accepting orders and delivering through a dealer network or dealers receiving orders through a network of other dealers, then it is the responsibility of the contractor to apprise such parties of all such contract addenda.

***Purchase Order - Information to Include***

The following information needs to be included in your purchase order.

Specify the base vehicle item number and description as listed in the contract, as well as any specific optional equipment as separate items, and include the contract price for each.

Specify interior and exterior vehicle colors.

Indicate the total contract price for the vehicle equipped as desired, which is the base vehicle price plus the total price for all options. Note that the price includes delivery to the pickup point specified herein for that vehicle.

Designate how the vehicle is to be titled.

Designate the contact person (email and phone number) who can answer questions concerning the purchase order, and who can be notified by the contractor when the vehicle is ready for pick-up.

Designate the contract payment terms (including number of days), contract delivery time, FOB point ("FOB destination"), and contract delivery location for the vehicle(s) you are ordering. If you desire to pick up the vehicle from the dealership, indicate this in lieu of the contract pickup location.

Indicate the name, address, and e-mail of the individual whom recall notices or alerts should be sent to for the next 6 years.


1. Click on the following link: [E-Procurement Users](#)
2. When placing an order in the e-procurement system, the very first thing to do is to go to the catalog tab and select options. After you have selected options, select contract ID. In the contract ID space type in the contract ID number, 070B.
3. Please make sure the keywords space is blank and the contract ID is typed in the contract ID section.
4. After selecting the contract ID and to narrow the search to a particular manufacturer select the manufacturer from the drop down
5. When the item to be ordered has been located complete the requisition and issue the purchase order.

## Term Contract 070B

### Non E-Procurement Users

The E-Procurement Public View will be the only place for Non E-Procurement Users to view the item/pricing information.

- a. Click on the following link: [E-Procurement Public View](#)
- b. **For online assistance regarding item searching; click on the “How to” underlined link located near the upper-right hand corner.**



### 5. Delivery

All vehicles ordered for the NC State Highway Patrol and Butner Public Safety shall be delivered to the Highway Patrol C&L Garage; 1300 Blue Ridge Road, Raleigh, NC.

All vehicles ordered for the State Bureau of Investigation (SBI) shall be delivered to the State Bureau of Investigation; 3320 Garner Road, Raleigh, NC.

All vehicles ordered for Motor Fleet Management (MFM) and Agency Law Enforcement (ALE) shall be delivered to the Motor Fleet Management Garage; 1915 Blue Ridge Road, Raleigh, NC.

All other vehicles ordered shall be delivered to a central pick-up (authorized dealership) point located within Wake County, as designated on the purchase order.

**Note:** Vendors participating on this contract were able to waive the “central pick-up point for all other vehicles, and deliver those directly to the customers throughout the State. Vendors agreeing to this include: **Capital Ford of Wilmington and Horace G. Ilderton, LLC.**

Contractor assumes full responsibility for any damages and resulting repair, during transit and storage until vehicle is picked up by the agency. However, it is incumbent upon the agency to pick-up the vehicle as quickly as reasonably possible. Vehicle shall be inspected by the user at the pick-up location prior to acceptance.

### 6. Payment

Highway Patrol, Motor Fleet Management, and State Bureau of Investigation **NET ten (10) days** after receipt of correct invoice or acceptance of vehicles, whichever is later.

All other agencies **NET thirty (30) days** after receipt of correct invoice or acceptance of vehicles, whichever is later.

### 7. Taxes

Prices shown herein do not include North Carolina sales, use, or personal property tax.

Federal Tax – agencies are exempt from Federal taxes, such as excise and transportation. Exemption forms submitted by the contractor will be executed and returned by the using agency.

Address tax questions to the North Carolina Department of Revenue; Dick Stewart at (919) 733-2151.

**Term Contract 070B**

- 8. Item Pricing & Requirements: All vendors offer 6% off MSRP for options. All base model law enforcement vehicles have driver's and front passenger's supplemental inflatable restraint system as standard. All other air bags are available as options.**

**a. Item 1**

**Chevrolet Caprice PPV 9C1, V8, Solid Color, Rear Wheel Drive**

<b>Contractor</b>	<b>Bobby Murray Chevrolet, Inc.</b>
<b>Mfg.</b>	<b>Chevrolet</b>
<b>Brand</b>	<b>Caprice</b>
<b>Body Code</b>	<b>1EW19</b>
<b>Trim Level</b>	<b>9C1</b>
<b>Order Code</b>	<b>1EW19</b>
<b>Unit Price</b>	<b>\$25,350.00</b>
<b>Requirements</b>	
1.	Four door sedan, four-wheel independent suspension, rear wheel drive, five passenger, V8 engine, solid color, with Caprice Police Package, Chevrolet Caprice PPV 9C1
2.	Air conditioning, factory installed w/ pollen filtration.
3.	Alternator, 170 amp, minimum, with idle boost.
4.	Trunk mounted battery, heavy duty 12 volt, mfr's standard except minimum 700 CCA, maintenance free.
5.	Brakes: anti-lock braking system, four wheel disc type
6.	Cooling system, heavy duty, automatic coolant recovery system with permanent type anti-freeze protected to -34 degrees F with rust inhibitor.
7.	Clock, dash mounted
8.	Engine, L77 V8 with starter interrupt, E85 Flex Fuel, minimum 6.0 liter, 355 HP, oil life monitor. FE9 emission requirements.
9.	Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program.
10.	Engine, transmission, power steering oil coolers.
11.	Floor covering, carpet, color keyed, front and rear.
12.	Include two rubber mats in front, and one solid or twin rubber mats in rear.
13.	Trunk to include manufacturer's standard floor covering
14.	Dome light
15.	19 gallon fuel tank
16.	Luggage compartment light
17.	Halogen type head lights with daytime running lights.
18.	Locks, all locks on a vehicle to be keyed alike. Each vehicle to be keyed individually. Minimum two (2) keys for each vehicle with keyless entry, two (2) electronic key fobs.
19.	Mirrors, inside with day/night adjustment and compass plus dual exterior mirrors remote controlled on left and right side
20.	Paint, all manufacturer's standard base and clear coat solid colors to be included in the bid price for the base vehicle
21.	Radio, manufacturer's standard AM/FM stereo with front and rear speakers and CD player.
22.	Rear window defroster, electric (not blower type) with control within convenient reach of driver and clearly marked
23.	Remote hood release, inside
24.	Remote controlled rear deck lid (trunk) release. Control to be within convenient reach of driver (not in glove box). Preferred location is left of the steering column. Remote release to be inoperable when ignition switch is in off position. Remote release switch must be properly mounted, durable, and fully suited for law enforcement duty including operation during emergency conditions.
25.	Coil-on-plug type ignition with radio suppression.

**Term Contract 070B**

26.	Seats: Bucket front cloth seats with center floor console, full size, with driver's side lumbar and six-way power, and passenger's side adjustable seat back. Rear bench cloth type. Front seat construction shall be fully suitable for law enforcement work by using agencies during 8-hour shifts, with sufficient comfort and support.
27.	Seat belts, dual frontal, passenger sensing w/ ON/OFF indication. Mfr. standard rear passenger seat belts.
28.	Cruise control and tilt steering wheel.
29.	Tires, four (4), tubeless, radial, black sidewall, all-season tread, P235/50 R18, W rated, approved and certified for pursuit use on the specific model and configuration of vehicle offered. Space saver type spare tire is required. Full size spare can be agency specified.
30.	Transmission, 6-speed automatic
31.	Wheels, four (4), 18" x 8", heavy duty steel.
32.	Manufacturer's standard wheel center caps and covers.
33.	Windshield wipers, multiple speed electric, intermittent type, with windshield washers.
34.	Power tinted windows, all four doors, and rear inoperative from inside.
35.	Power door locks, all four doors, rear inoperative inside.
36.	Speedometer, certified calibrated (1 MPH increments) (max. 1% error). 0-160 MPH indicator, analog and digital, for 2.92 ratio limited slip rear axle
37.	Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.
38.	Cruise control, front visors and tilt steering wheel.
39.	Auxiliary power outlet.
40.	Theft-deterrent System.
41.	Stabilitrak Electronic Stability Control w/Performance Mode.
42.	TPMS (Tire Pressure Monitoring System).

**b. Item 2**

**Chevrolet Caprice PPV 9C3, V6, Solid Color, Rear Wheel Drive**

<b>Contractor</b>	<b>Bobby Murray Chevrolet, Inc.</b>
<b>Mfg.</b>	<b>Chevrolet</b>
<b>Brand</b>	<b>Caprice</b>
<b>Body Code</b>	<b>1EW19</b>
<b>Trim Level</b>	<b>9C3</b>
<b>Order Code</b>	<b>1EW19</b>
<b>Unit Price</b>	<b>\$25,525.00</b>
<b>Requirements</b>	
1.	Four door sedan, four-wheel independent suspension, rear wheel drive, five passenger, V6 engine, solid color, with Caprice Police Package : Chevrolet Caprice PPV 9C3
2.	Air conditioning, factory installed w/ pollen filtration.
3.	Alternator, 170 amp, minimum, with idle boost.
4.	Trunk mounted battery, heavy duty 12 volt, mfr's standard except minimum 700 CCA, maintenance free.
5.	Brakes: anti-lock braking system, four wheel disc type
6.	Cooling system, heavy duty, automatic coolant recovery system with permanent type anti-freeze protected to - 34 degrees F with rust inhibitor.
7.	Clock, dash mounted
8.	Engine, V6 with starter interrupt, E85 Flex Fuel, minimum 3.6 liter, 301 HP, oil life monitor. FE9 emission requirements.
9.	Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program.
10.	Engine, transmission, power steering oil coolers.

**Term Contract 070B**

11.	Floor covering, carpet, color keyed, front and rear.
12.	Include two rubber mats in front, and one solid or twin rubber mats in rear.
13.	Trunk to include manufacturer's standard floor covering.
14.	Dome light, front and rear.
15.	19 gallon fuel tank
16.	Luggage compartment light
17.	Halogen type head lights with daytime running lights.
18.	Locks, all locks on a vehicle to be keyed alike. Each vehicle to be keyed individually. Minimum two (2) keys for each vehicle with keyless entry, two (2) electronic key fobs.
19.	Mirrors, inside with day/night adjustment and compass plus dual exterior mirrors remote controlled on left and right side
20.	Paint, all manufacturer's standard base and clear coat solid colors to be included in the bid price for the base vehicle
21.	Radio, manufacturer's standard AM/FM stereo with front and rear speakers and CD player.
22.	Rear window defroster, electric (not blower type) with control within convenient reach of driver and clearly marked
23.	Remote hood release, inside
24.	Remote controlled rear deck lid (trunk) release. Control to be within convenient reach of driver (not in glove box). Preferred location is left of the steering column. Remote release to be inoperable when ignition switch is in off position. Remote release switch must be properly mounted, durable, and fully suited for law enforcement duty including operation during emergency conditions.
25.	Coil-on-plug type ignition with radio suppression.
26.	Seats: Bucket front cloth seats with center floor console, full size, with driver's side lumbar and six-way power, and passenger's side adjustable seat back. Rear bench cloth type. Front seat construction shall be fully suitable for law enforcement work by using agencies during 8-hour shifts, with sufficient comfort and support.
27.	Seat belts, dual frontal, passenger sensing w/ ON/OFF indication. Mfr. standard rear passenger seat belts.
28.	Cruise control and tilt steering wheel.
29.	Tires, four (4), tubeless, radial, black sidewall, all-season tread, P235/50 R18, W rated, approved and certified for pursuit use on the specific model and configuration of vehicle offered. Space saver type spare tire is required. Full size spare can be agency specified.
30.	Transmission, 6-speed automatic ECT with Tap Up/Down shifting.
31.	Wheels, four (4), 18" x 8", heavy duty steel.
32.	Manufacturer's standard wheel center caps and covers.
33.	Windshield wipers, multiple speed electric, intermittent type, with windshield washers.
34.	Power tinted windows, all four doors, rear inoperative from inside.
35.	Power door locks, all four doors, rear inoperative inside.
36.	Speedometer, certified calibrated (1 MPH increments) (max. 1% error). 0-160 MPH indicator, analog and digital, for 2.92 ratio limited slip rear axle
37.	Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.
38.	Cruise control, front visors and tilt steering wheel.
39.	Auxiliary power outlet.
40.	Theft-deterrent System.
41.	Stabilitrak Electronic Stability Control w/Performance Mode
42.	TPMS (Tire Pressure Monitoring System).

**Term Contract 070B**

**c. Item 3**

**Chevrolet Impala PPV 9C1, V6, Solid Color, Front Wheel Drive**

<b>Contractor</b>	<b>Bobby Murray Chevrolet, Inc.</b>
<b>Mfg.</b>	<b>Chevrolet</b>
<b>Brand</b>	<b>Impala</b>
<b>Body Code</b>	<b>1WS19</b>
<b>Trim Level</b>	<b>9C1</b>
<b>Order Code</b>	<b>1WS19</b>
<b>Unit Price</b>	<b>\$19,947.00</b>
<b>Requirements</b>	
1.	Four door sedan, front wheel drive, V6 engine, five passenger, EPA large size, solid color, with Impala Police Package : Chevrolet Impala PPV 9C1.
2.	Air conditioning, factory installed w/ pollen filtration.
3.	Alternator, 170 amp.
4.	Battery, heavy duty 12 volt, mfr's standard except minimum 720 CCA, maintenance free.
5.	Body side molding.
6.	Brakes: anti-lock braking system, four wheel disc type.
7.	Cooling system, heavy duty, automatic coolant recovery system with permanent type anti-freeze protected to - 34 degrees F with rust inhibitor w/EPDM type hoses.
8.	Clock, dash mounted.
9.	Engine, V6, E85 Flex Fuel, minimum 3.6 liter, 302 HP, oil life monitor. FE9 emission requirements.
10.	Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program.
11.	Engine, transmission, power steering oil coolers.
12.	Floor covering, carpet, color keyed, front and rear.
13.	Include two rubber mats in front, and one solid or twin rubber mats in rear.
14.	Trunk to include manufacturer's standard rubber matting.
15.	Dome light, front and rear.
16.	17 gallon fuel tank.
17.	Luggage compartment light.
18.	Halogen type head lights with daytime running lights.
19.	Locks, all locks on a vehicle to be keyed alike. Each vehicle to be keyed individually. Minimum two (2) keys for each vehicle with keyless entry, two (2) electronic key fobs.
20.	Mirrors, inside with day/night adjustment and compass plus dual exterior mirrors remote controlled on left and right side.
21.	Paint, all manufacturer's standard base and clear coat solid colors to be included in the bid price for the base vehicle.
22.	Radio, manufacturer's standard AM/FM stereo with front and rear speakers and CD player.
23.	Rear window defroster, electric (not blower type) with control within convenient reach of driver and clearly marked.
24.	Remote hood release, inside.
25.	Remote controlled rear deck lid (trunk) release. Control to be within convenient reach of driver (not in glove box). Preferred location is left of the steering column. Remote release to be inoperable when ignition switch is in off position. Remote release switch must be properly mounted, durable, and fully suited for law enforcement duty including operation during emergency conditions.
26.	Coil-on-plug type ignition with radio suppression.
27.	Seats: Bucket front cloth seats, full size, with driver's side lumbar and 6-way power, and passenger's side adjustable seat back. Rear bench cloth type. Front seat construction shall be fully suitable for law enforcement work by using agencies during 8-hour shifts, with sufficient comfort and support.

**Term Contract 070B**

28.	Seat belts, dual frontal, passenger sensing w/ ON/OFF indication. Mfr. standard rear passenger seat belts.
29.	Cruise control and tilt steering wheel.
30.	Tires, four (4), tubeless, radial, black sidewall, all-season tread, P235/55 R17, W rated, approved and certified for pursuit use on the specific model and configuration of vehicle offered. Space saver type spare tire is required. Full size spare can be agency specified.
31.	Transmission, 6-speed automatic ECT w/OD.
32.	Wheels, four (4), 17" standard width, heavy duty steel.
33.	Manufacturer's standard wheel center caps and covers.
34.	Windshield wipers, multiple speed electric, intermittent type, with windshield washers.
35.	Power tinted windows, all four doors, rear inoperative from inside.
36.	Power door locks, all four doors, rear inoperative inside.
37.	Speedometer, certified calibrated (1 MPH increments) (max. 1% error). 0-140 MPH indicator, analog and digital, for 2.44 ratio axle.
38.	Driver's and passenger's supplemental inflatable restraint system (air bags), mfg. std., as mandated by NHTSA at the time of production.
39.	Cruise control, front visors and tilt steering wheel.
40.	Speedometer light cutoff switch.
41.	Auxiliary power outlet.
42.	Theft-deterrent System.
43.	Stabilitrak, Electronic Stability Control w/Traction Control.
44.	TPMS (Tire Pressure Monitoring System).

**d. Item 4**

**Chevrolet Impala PPV 9C3, V6, Solid Color, Front Wheel Drive**

<b>Contractor</b>	<b>Bobby Murray Chevrolet, Inc.</b>
<b>Mfg.</b>	<b>Chevrolet</b>
<b>Brand</b>	<b>Impala</b>
<b>Body Code</b>	<b>1WS19</b>
<b>Trim Level</b>	<b>9C3</b>
<b>Order Code</b>	<b>1WS19</b>
<b>Unit Price</b>	<b>\$19,895.00</b>
<b>Requirements</b>	
1.	Four door sedan, front wheel drive, V6 engine, five passenger, EPA large size, solid color, with Impala Police Package : Chevrolet Impala PPV 9C3.
2.	Air conditioning, factory installed w/ pollen filtration.
3.	Alternator, 170 amp
4.	Battery, heavy duty 12 volt, mfr's standard except minimum 720 CCA, maintenance free
5.	Body side molding
6.	Brakes: anti-lock braking system, four wheel disc type
7.	Cooling system, heavy duty, automatic coolant recovery system with permanent type anti-freeze protected to - 34 degrees F with rust inhibitor w/EPDM type hoses.
8.	Clock, dash mounted
9.	Engine, V6, E85 Flex Fuel, minimum 3.6 liter, 302 HP, oil life monitor. FE9 emission requirements.
10.	Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program.
11.	Engine, transmission, power steering oil coolers.

**Term Contract 070B**

12.	Floor covering, carpet, color keyed, front and rear.
13.	Include two rubber mats in front, and one solid or twin rubber mats in rear.
14.	Trunk to include manufacturer's standard rubber matting
15.	Dome light, front and rear.
16.	17 gallon fuel tank
17.	Luggage compartment light
18.	Halogen type head lights with daytime running lights.
19.	Locks, all locks on a vehicle to be keyed alike. Each vehicle to be keyed individually. Minimum two (2) keys for each vehicle with keyless entry, two (2) electronic key fobs.
20.	Mirrors, inside with day/night adjustment and compass plus dual exterior mirrors remote controlled on left and right side
21.	Paint, all manufacturer's standard base and clear coat solid colors to be included in the bid price for the base vehicle
22.	Radio, manufacturer's standard AM/FM stereo with front and rear speakers and CD player.
23.	Rear window defroster, electric (not blower type) with control within convenient reach of driver and clearly marked
24.	Remote hood release, inside
25.	Remote controlled rear deck lid (trunk) release. Control to be within convenient reach of driver (not in glove box). Preferred location is left of the steering column. Remote release to be inoperable when ignition switch is in off position. Remote release switch must be properly mounted, durable, and fully suited for law enforcement duty including operation during emergency conditions.
26.	Coil-on-plug type ignition with radio suppression.
27.	Seats: Bench front cloth seats, full size. Rear bench cloth type. Front seat construction shall be fully suitable for law enforcement work by using agencies during 8-hour shifts, with sufficient comfort and support.
28.	Seat belts, dual frontal, passenger sensing w/ ON/OFF indication. Mfr. standard rear passenger seat belts.
29.	Cruise control and tilt steering wheel.
30.	Tires, four (4), tubeless, radial, black sidewall, all-season tread, P235/55 R17, W rated, approved and certified for pursuit use on the specific model and configuration of vehicle offered. Space saver type spare tire is required. Full size spare can be agency specified.
31.	Transmission, 6-speed automatic ECT w/OD.
32.	Wheels, four (4), 17" standard width, heavy duty steel.
33.	Manufacturer's standard wheel center caps and covers.
34.	Windshield wipers, multiple speed electric, intermittent type, with windshield washers.
35.	Power tinted windows, all four doors, rear inoperative from inside.
36.	Power door locks, all four doors, rear inoperative from inside.
37.	Speedometer, certified calibrated (1 MPH increments) (max. 1% error). 0-140 MPH indicator, analog and digital, for 2.44 ratio axle.
38.	Driver's and passenger's supplemental inflatable restraint system (air bags), mfg. std., as mandated by NHTSA at the time of production.
39.	Cruise control, front visors and tilt steering wheel.
40.	Speedometer light cutoff switch.
41.	Auxiliary power outlet.
42.	Theft-deterrent System.
43.	Stabilitrak, Electronic Stability Control w/Traction Control.
44.	TPMS (Tire Pressure Monitoring System).

**Term Contract 070B**

**e. Item 5**

**Chevrolet Tahoe Utility PPV, V8, Solid Color, Rear Wheel Drive**

<b>Contractor</b>	<b>Bobby Murray Chevrolet, Inc.</b>
<b>Mfg.</b>	<b>Chevrolet</b>
<b>Brand</b>	<b>Tahoe</b>
<b>Body Code</b>	<b>CC10706</b>
<b>Trim Level</b>	<b>1LF PPV</b>
<b>Order Code</b>	<b>CC10706</b>
<b>Unit Price</b>	<b>\$25,125.00</b>
<b>Requirements</b>	
1.	Four door full-size sport utility, V8 engine, 2WD vehicle, solid color, with Tahoe Police PPV. Chevrolet Tahoe PPV.
2.	Wheelbase: 116 inches Combined front/rear interior volume, minimum 147 cu. ft.
3.	Engine, 5.3 L V8, Flex Fuel, 320 HP. Speed, acceleration, and braking tests to be certified by Michigan State Police vehicle evaluation program, within previous model year. Pursuit course test in said evaluation program IS required.
4.	Transmission, 6-speed automatic.
5.	Rear axle: manufacturer's standard rear end ratio
6.	Air conditioning, factory installed
7.	Brakes: 4-wheel ABS disc with power assist
8.	Tires, five (5), 265/60-R17 W rated, all-season Goodyear RS-A type. Tires must be rated for a speed equal to or greater than maximum speed of the vehicle delivered.
9.	Wheels: Five (5), 17", steel with bolt-on center caps/full spare mounted under vehicle
10.	Alternator: 160 amp
11.	Battery: 730 CCA, maintenance free
12.	Auxiliary battery power terminal: Covered fuse block under hood compartment
13.	Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.
14.	Seats: Front, high-back bucket, cloth (not vinyl). Rear, cloth or vinyl. Include bucket seat console delete. Driver seat, 6-way power.
15.	Speedometer: 140 MPH certified.
16.	Gauges: Mfr's standard package
17.	Dome light and map/reading light. One such light is to be LED and driver selectable for off-red-white operation, and may in addition (but not in lieu of) be switched on-off by a door-actuated control. Other light is to be activated (on-off) by a door-actuated switch, and may in addition (but not in lieu of) be switched on-off by a driver operated control.
18.	Radio: AM/FM stereo with clock and CD player.
19.	Floor Covering: Mfr's color-keyed carpeting. Removable floor mats are NOT required, and may be deleted if standard equipment.
20.	Cruise control and tilt wheel
21.	Windows, power. Rear inoperable from back seat.
22.	Locks: Power, with one key to fit all locks per vehicle. Three (3) cut keys per vehicle. Keyless entry, two (2) electronic key fobs. Rear inoperable from back seat.
23.	Mirrors: Interior rearview. Exterior left and right rearview, power, folding
24.	Fuel tank: 26 gallon
25.	Paint: All manufacturer's standard and clear coat solid colors to be included in the bid price for the base vehicle

**Term Contract 070B**

26.	If Daytime Running Lights (DRLs) are furnished, a means of temporarily disabling them (like a switch) convenient to the seated driver must be furnished, or otherwise the DRLs must be permanently disabled (like removal of a dedicated fuse, or reprogramming a computer control module) or delete option.
27.	Rear lift gate with wiper and washer
28.	Rear window defogger
29.	Coil-on-plug type ignition
30.	Hour meter operational in "park" position with engine running as well as when in "drive" position.
31.	Stabilitrak Electronic Stability Control w/Performance Mode
32.	TPMS (Tire Pressure Monitoring System)
33.	Theft Deterrent

**f. Item 6**

**Ford Police Interceptor Sedan, V6, Solid Color, All-Wheel Drive**

<b>Contractor</b>	<b>Capital Ford of Wilmington LLC</b>
<b>Mfg.</b>	<b>Ford</b>
<b>Brand</b>	<b>2013 Police Interceptor</b>
<b>Body Code</b>	<b>P2M</b>
<b>Trim Level</b>	<b>Police Interceptor</b>
<b>Order Code</b>	<b>500A</b>
<b>Unit Price</b>	<b>\$23,588.00</b>
<b>Requirements</b>	
1.	Four door sedan, all-wheel drive, five passenger, solid color with Police Interceptor Package: Ford Police Interceptor Sedan.
2.	Air conditioning, factory installed
3.	Alternator, 220 amp rating
4.	Battery, heavy duty 12 volt, mfr's standard except minimum 750 CCA, maintenance free w/battery saver
5.	Brakes: anti-lock braking system, four wheel
6.	Cooling system, heavy duty, automatic coolant recovery system with permanent type anti-freeze protected to - 20 degrees F with rust inhibitor. Include silicone or neoprene type hoses.
7.	Clock, dash mounted
8.	Undercarriage deflector plates.
9.	Electric windows, all four doors with driver express-down
10.	Power door locks, all four doors. Rear doors inoperable from inside.
11.	Engine, 6 cylinder, minimum 280 HP, minimum 3.5 liter.
12.	Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program.
13.	Engine external oil cooler, installed, if available from the mfr.
14.	Floor covering, carpet, color keyed, front and rear with color keyed scuff plates. Removable floor mats are NOT required, and may be deleted if standard equipment.
15.	Trunk standard floor cover and power point
16.	Dome light, automatic (activated by front and rear doors) located in center of ceiling. Map reading light, mounted on ceiling between sun visors and controlled by a separate switch adjacent to light.
17.	Halogen type head lights
18.	Glove compartment light and door lock
19.	Luggage compartment light
20.	Locks, all locks on a vehicle to be keyed alike.

**Term Contract 070B**

21.	Three (3) keys for each vehicle. Each vehicle to be keyed individually. Manufacturer-furnished blank for third key may be cut by dealer. Keyless entry, two (2) electronic key fobs.
22.	Mirrors, inside with day/night adjustment
23.	Dual exterior mirrors, remote controlled on left and right side
24.	Paint, all manufacturer's standard and clear coat solid colors to be included in the bid price for the base vehicle
25.	Radio, manufacturer's standard AM/FM stereo with front and rear speakers and CD player.
26.	Rear window defroster, electric (not blower type) with control within convenient reach of driver and clearly marked
27.	Remote controlled rear deck lid release. Control to be within convenient reach of driver (not in glove box). Preferred location is left of the steering column. Remote release to be inoperable when ignition switch is in off position. Remote release switch must be properly mounted, durable, and fully suited for law enforcement duty including operation during emergency conditions.
28.	Remote hood release, inside
29.	Coil-on-plug type ignition
30.	Seats: Bucket front with driver's side power adjustable, 6-way. Rear bench type. Seat covering material cloth and subject to approval by the Highway Patrol. Front seat construction shall be fully suitable for law enforcement work by the Highway Patrol during normal 8 hour shifts with sufficient comfort and support with integrated anti-stab plates. Color: charcoal
31.	Seat belts and shoulder harnesses: attachment to door is not acceptable
32.	Speedometer, certified calibrated speedometer (2 MPH increments) (max. 3% error). Approx. 0-140 MPH indicator
33.	Tilt steering wheel
34.	Power steering external oil cooler
35.	Tires, five (5), tubeless, radial, black sidewall, all-season tread, P245/55R18, W rated with TPMS, approved and certified for pursuit use on the specific model and configuration of vehicle offered. Goodyear RS-A only.
36.	Transmission, 6-speed automatic O/D
37.	Transmission external oil cooler
38.	Wheels, five (5), 18" x 7.5" minimum, steel
39.	Full wheel covers
40.	Windshield wipers, multiple speed electric, intermittent type, with windshield washers
41.	Cruise control
42.	Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.
43.	Engine Hour meter
44.	TPMS (Tire Pressure Monitoring System)
45.	Advance Trac with RSC

**Term Contract 070B**

**g. Item 7**

**Ford Police Interceptor Sedan, V6, Solid Color, Front Wheel Drive**

<b>Contractor</b>	<b>Capital Ford of Wilmington LLC</b>
<b>Mfg.</b>	<b>Ford</b>
<b>Brand</b>	<b>2013 Police Interceptor P2L</b>
<b>Body Code</b>	<b>P2L</b>
<b>Trim Level</b>	<b>Police Interceptor</b>
<b>Order Code</b>	<b>500A</b>
<b>Unit Price</b>	<b>\$22,588.00</b>
<b>Requirements</b>	
1.	Four door sedan, front wheel drive, five passenger, solid color with Police Interceptor Package: Ford Police Interceptor Sedan.
2.	Air conditioning, factory installed
3.	Alternator, 220 amp rating
4.	Battery, heavy duty 12 volt, mfr's standard except minimum 750 CCA, maintenance free w/battery saver
5.	Brakes: anti-lock braking system, four wheel
6.	Cooling system, heavy duty, automatic coolant recovery system with permanent type anti-freeze protected to - 20 degrees F with rust inhibitor. Include silicone or neoprene type hoses.
7.	Clock, dash mounted
8.	Electric windows, all four doors with driver express-down
9.	Power door locks, all four doors. Rear locks inoperable from inside.
10.	Engine, 6 cylinders, minimum 280 HP, minimum 3.5 liter.
11.	Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program.
12.	Engine external oil cooler, installed, if available from the mfr.
13.	Floor covering, carpet, color keyed, front and rear with color keyed scuff plates. Removable floor mats are NOT required, and may be deleted if standard equipment.
14.	Trunk standard floor cover and power point
15.	Dome light, automatic (activated by front and rear doors) located in center of ceiling. Map reading light, mounted on ceiling between sun visors and controlled by a separate switch adjacent to light.
16.	Halogen type head lights
17.	Glove compartment light and door lock
18.	Luggage compartment light
19.	Locks, all locks on a vehicle to be keyed alike.
20.	Three (3) keys for each vehicle. Each vehicle to be keyed individually. Manufacturer-furnished blank for third key may be cut by dealer. Keyless entry, two (2) electronic key fobs.
21.	Mirrors, inside with day/night adjustment
22.	Dual exterior mirrors, remote controlled on left and right side
23.	Paint, all manufacturer's standard and clear coat solid colors to be included in the bid price for the base vehicle
24.	Radio, manufacturer's standard AM/FM stereo with front and rear speakers and CD player.
25.	Rear window defroster, electric (not blower type) with control within convenient reach of driver and clearly marked
26.	Remote controlled rear deck lid release. Control to be within convenient reach of driver (not in glove box). Preferred location is left of the steering column. Remote release to be inoperable when ignition switch is in off position. Remote release switch must be properly mounted, durable, and fully suited for law enforcement duty including operation during emergency conditions.
27.	Remote hood release, inside

**Term Contract 070B**

28.	Coil-on-plug type ignition
29.	Seats: Bucket front with driver's side power adjustable, 6-way. Rear bench type. Seat covering material cloth and subject to approval by the Highway Patrol. Front seat construction shall be fully suitable for law enforcement work by the Highway Patrol during normal 8 hour shifts with sufficient comfort and support with integrated anti-stab plates. Color: charcoal
30.	Seat belts and shoulder harnesses: attachment to door is not acceptable
31.	Speedometer, certified calibrated speedometer (2 MPH increments) (max. 3% error). Approx. 0-140 MPH indicator
32.	Tilt steering wheel
33.	Power steering external oil cooler
34.	Tires, five (5), tubeless, radial, black sidewall, all-season tread, P245/55R18, W rated with TPMS, approved and certified for pursuit use on the specific model and configuration of vehicle offered. Goodyear RS-A only.
35.	Transmission, 6-speed automatic O/D
36.	Transmission external oil cooler
37.	Wheels, five (5), 18" x 7.5" minimum, steel
38.	Full wheel covers
39.	Windshield wipers, multiple speed electric, intermittent type, with windshield washers
40.	Cruise control
41.	Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.
42.	Engine Hour meter
43.	TPMS (Tire Pressure Monitoring System)
44.	Advance Trac with RSC

**h. Item 8**

**Ford Police Interceptor Sedan Pursuit, V6 Turbocharged, Solid Color, All-Wheel Drive**

<b>Contractor</b>	<b>Capital Ford of Wilmington LLC</b>
<b>Mfg.</b>	<b>Ford</b>
<b>Brand</b>	<b>2013 Police Interceptor</b>
<b>Body Code</b>	<b>P2M</b>
<b>Trim Level</b>	<b>Police Interceptor</b>
<b>Order Code</b>	<b>500A</b>
<b>Unit Price</b>	<b>\$26,333.00</b>
<b>Requirements</b>	
1.	Four door sedan, all-wheel drive, five passenger, solid color with Police Interceptor Package: Ford Police Interceptor Sedan.
2.	Air conditioning, factory installed
3.	Alternator, 220 amp rating
4.	Battery, heavy duty 12 volt, mfr's standard except minimum 750 CCA, maintenance free w/battery saver
5.	Brakes: anti-lock braking system, four wheel
6.	Cooling system, heavy duty, automatic coolant recovery system with permanent type anti-freeze protected to -20 degrees F with rust inhibitor. Include silicone or neoprene type hoses.
7.	Clock, dash mounted
8.	Undercarriage deflector plates.
9.	Electric windows, all four doors with driver express-down
10.	Power door locks, all four doors. Rear locks inoperable from inside.
11.	Engine, turbocharged 6 cylinder, minimum 365 HP, 350 lb-ft torque, minimum 3.5 liter.

**Term Contract 070B**

12.	Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program.
13.	Engine external oil cooler, installed, if available from the mfr.
14.	Floor covering, carpet, color keyed, front and rear with color keyed scuff plates. Removable floor mats are NOT required, and may be deleted if standard equipment.
15.	Trunk standard floor cover and power point
16.	Dome light, automatic (activated by front and rear doors) located in center of ceiling. Map reading light, mounted on ceiling between sun visors and controlled by a separate switch adjacent to light.
17.	Halogen type head lights
18.	Glove compartment light and door lock
19.	Luggage compartment light
20.	Locks, all locks on a vehicle to be keyed alike.
21.	Three (3) keys for each vehicle. Each vehicle to be keyed individually. Manufacturer-furnished blank for third key may be cut by dealer. Keyless entry, two (2) electronic key fobs.
22.	Mirrors, inside with day/night adjustment
23.	Dual exterior mirrors, remote controlled on left and right side
24.	Paint, all manufacturer's standard and clear coat solid colors to be included in the bid price for the base vehicle
25.	Radio, manufacturer's standard AM/FM stereo with front and rear speakers and CD player.
26.	Rear window defroster, electric (not blower type) with control within convenient reach of driver and clearly marked
27.	Remote controlled rear deck lid release. Control to be within convenient reach of driver (not in glove box). Preferred location is left of the steering column. Remote release to be inoperable when ignition switch is in off position. Remote release switch must be properly mounted, durable, and fully suited for law enforcement duty including operation during emergency conditions.
28.	Remote hood release, inside
29.	Coil-on-plug type ignition
30.	Seats: Bucket front with driver's side power adjustable, 6-way. Rear bench type. Seat covering material cloth and subject to approval by the Highway Patrol. Front seat construction shall be fully suitable for law enforcement work by the Highway Patrol during normal 8 hour shifts with sufficient comfort and support with integrated anti-stab plates. Color: charcoal
31.	Seat belts and shoulder harnesses: attachment to door is not acceptable
32.	Speedometer, certified calibrated speedometer (2 MPH increments) (max. 3% error). Approx. 0-140 MPH indicator
33.	Tilt steering wheel
34.	Power steering external oil cooler
35.	Tires, five (5), tubeless, radial, black sidewall, all-season tread, P245/55R18, W rated with TPMS, approved and certified for pursuit use on the specific model and configuration of vehicle offered. Goodyear RS-A only.
36.	Transmission, 6-speed automatic O/D
37.	Transmission external oil cooler
38.	Wheels, five (5), 18" x 7.5" minimum, steel
39.	Full wheel covers
40.	Windshield wipers, multiple speed electric, intermittent type, with windshield washers
41.	Cruise control
42.	Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.
43.	Engine Hour meter
44.	TPMS (Tire Pressure Monitoring System)
45.	Advance Trac with RSC

**Term Contract 070B**

**i. Item 9**

**Ford Police Interceptor Utility Vehicle, V6, Solid Color, Front Wheel Drive**

<b>Contractor</b>	<b>Capital Ford of Wilmington LLC</b>
<b>Mfg.</b>	<b>Ford</b>
<b>Brand</b>	<b>2013 Police Interceptor</b>
<b>Body Code</b>	<b>K7A</b>
<b>Trim Level</b>	<b>Police Interceptor</b>
<b>Order Code</b>	<b>500A</b>
<b>Unit Price</b>	<b>\$24,312.00</b>
<b>Requirements</b>	
1.	Four door sedan, front-wheel drive, five passenger, V6 engine, solid color, EPA large size with Police Interceptor Package: Ford Police Interceptor Utility Vehicle.
2.	Air conditioning, factory installed
3.	Alternator, 220 amp rating
4.	Battery, heavy duty 12 volt, mfr's standard except minimum 750 CCA, maintenance free w/battery saver
5.	Brakes: anti-lock braking system, four wheel
6.	Cooling system, heavy duty, automatic coolant recovery system with permanent type anti-freeze protected to - 20 degrees F with rust inhibitor.
7.	Clock, dash mounted
8.	Electric windows, all four doors with driver express-down
9.	Power door locks, all four doors. Rear locks inoperable from inside.
10.	Engine, 6 cylinder, minimum 300 HP, minimum 3.7 liter
11.	Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program.
12.	Engine external oil cooler, installed, if available from the mfr.
13.	Floor covering, carpet, color keyed, front and rear with color keyed scuff plates. Removable floor mats are NOT required, and may be deleted if standard equipment.
14.	Trunk to include full carpeting and power point
15.	Dome light, automatic (activated by front and rear doors) located in center of ceiling. Map reading light, mounted on ceiling between sun visors and controlled by a separate switch adjacent to light.
16.	Halogen type head lights
17.	Glove compartment light and door lock
18.	Luggage compartment light
19.	Locks, all locks on a vehicle to be keyed alike.
20.	Three (3) keys for each vehicle. Each vehicle to be keyed individually. Manufacturer-furnished blank for third key may be cut by dealer. Keyless entry, two (2) electronic key fobs.
21.	Mirrors, inside with day/night adjustment
22.	Dual exterior mirrors, remote controlled on left and right side
23.	Paint, all manufacturer's standard and clear coat solid colors to be included in the bid price for the base vehicle
24.	Radio, manufacturer's standard AM/FM stereo with front and rear speakers and CD player.
25.	Rear window defroster, electric (not blower type) with control within convenient reach of driver and clearly marked
26.	Remote hood release, inside
27.	Coil-on-plug type ignition

**Term Contract 070B**

28.	Seats: Bucket front with adjustable lumbar and driver's side power 6-way adjustments. Rear seat is bench type. Seat covering material cloth and subject to approval by the Highway Patrol. Front seat construction shall be fully suitable for law enforcement work by the Highway Patrol during normal 8 hour shifts with sufficient comfort and support with integrated anti-stab plates. Colors: charcoal
29.	Seat belts and shoulder harnesses: Attachment to door is not acceptable.
30.	Speedometer, certified calibrated speedometer (2 MPH increments) (max. 3% error). Approx. 0-140 MPH indicator
31.	Tilt steering wheel
32.	Power steering external oil cooler
33.	Tires, five (5), tubeless, radial, black sidewall, all-season tread, P245/55R18W rated with TPMS, approved and certified for pursuit use on the specific model and configuration of vehicle offered. Goodyear RS-A only.
34.	Transmission, 6-speed automatic O/D
35.	Transmission external oil cooler
36.	Wheels, five (5), 18" x 7.5" minimum, steel
37.	Full wheel covers
38.	Windshield wipers, multiple speed electric, intermittent type, with windshield washers
39.	Cruise control
40.	Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.
41.	Engine Hour meter
42.	TPMS (Tire Pressure Monitoring System)
43.	Advance Trac with RSC

**j. Item 10**

**Ford Police Interceptor Utility Vehicle, V6, Solid Color, All-Wheel Drive**

<b>Contractor</b>	<b>Capital Ford of Wilmington LLC</b>
<b>Mfg.</b>	<b>Ford</b>
<b>Brand</b>	<b>2013 Police Interceptor</b>
<b>Body Code</b>	<b>K8A</b>
<b>Trim Level</b>	<b>Police Interceptor</b>
<b>Order Code</b>	<b>500A</b>
<b>Unit Price</b>	<b>\$25,313.00</b>
<b>Requirements</b>	
1.	Four door sedan, all-wheel drive, five passenger, V6 engine, solid color, EPA large size with Police Interceptor Package: Ford Police Interceptor Utility Vehicle. All vehicles must comply with Federal Motor Vehicle Safety Standard and Federal Regulations applicable to 2012 model year vehicles covered in this Invitation For Bids.
2.	Air conditioning, factory installed
3.	Alternator, 220 amp rating
4.	Battery, heavy duty 12 volt, mfr's standard except minimum 750 CCA, maintenance free w/battery saver
5.	Brakes: anti-lock braking system, four wheel
6.	Cooling system, heavy duty, automatic coolant recovery system with permanent type anti-freeze protected to -20 degrees F with rust inhibitor.
7.	Clock, dash mounted
8.	Electric windows, all four doors with driver express-down
9.	Power door locks, all four doors. Rear locks inoperable from inside.

**Term Contract 070B**

10.	Engine, 6 cylinder, minimum 300 HP, minimum 3.7 liter
11.	Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program.
12.	Engine external oil cooler, installed, if available from the mfr.
13.	Floor covering, carpet, color keyed, front and rear with color keyed scuff plates. Removable floor mats are NOT required, and may be deleted if standard equipment.
14.	Trunk to include full carpeting and power point
15.	Dome light, automatic (activated by front and rear doors) located in center of ceiling. Map reading light, mounted on ceiling between sun visors and controlled by a separate switch adjacent to light.
16.	Halogen type head lights
17.	Glove compartment light and door lock
18.	Luggage compartment light
19.	Locks, all locks on a vehicle to be keyed alike.
20.	Three (3) keys for each vehicle. Each vehicle to be keyed individually. Manufacturer-furnished blank for third key may be cut by dealer. Keyless entry, two (2) electronic key fobs.
21.	Mirrors, inside with day/night adjustment
22.	Dual exterior mirrors, remote controlled on left and right side
23.	Paint, all manufacturer's standard and clear coat solid colors to be included in the bid price for the base vehicle
24.	Radio, manufacturer's standard AM/FM stereo with front and rear speakers and CD player.
25.	Rear window defroster, electric (not blower type) with control within convenient reach of driver and clearly marked
26.	Remote hood release, inside
27.	Coil-on-plug type ignition
28.	Seats: Bucket front with adjustable lumbar and driver's side power 6-way adjustments. Rear seat is bench type. Seat covering material cloth and subject to approval by the Highway Patrol. Front seat construction shall be fully suitable for law enforcement work by the Highway Patrol during normal 8 hour shifts with sufficient comfort and support with integrated anti-stab plates. Colors: charcoal
29.	Seat belts and shoulder harnesses: Attachment to door is not acceptable.
30.	Speedometer, certified calibrated speedometer (2 MPH increments) (max. 3% error). Approx. 0-140 MPH indicator
31.	Tilt steering wheel
32.	Power steering external oil cooler
33.	Tires, five (5), tubeless, radial, black sidewall, all-season tread, P245/55R18W rated with TPMS, approved and certified for pursuit use on the specific model and configuration of vehicle offered. Goodyear RS-A only.
34.	Transmission, 6-speed automatic O/D
35.	Transmission external oil cooler
36.	Wheels, five (5), 18" x 7.5" minimum, steel
37.	Full wheel covers
38.	Windshield wipers, multiple speed electric, intermittent type, with windshield washers
39.	Cruise control
40.	Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.
41.	Engine Hour meter
42.	TPMS (Tire Pressure Monitoring System)
43.	Advance Trac with RSC

**Term Contract 070B**

**k. Item 11**

**Dodge Charger Police Vehicle, V6 HO, Solid Color, Rear Wheel Drive**

<b>Contractor</b>	<b>Horace G. Ilderton LLC</b>
<b>Mfg.</b>	<b>Dodge</b>
<b>Brand</b>	<b>Charger</b>
<b>Body Code</b>	<b>LDDE48</b>
<b>Trim Level</b>	<b>27A</b>
<b>Order Code</b>	<b>LDDE48</b>
<b>Unit Price</b>	<b>\$21,536.00</b>
<b>Requirements</b>	
1.	Four door sedan, rear wheel drive, five passenger, solid color, EPA large size, with police package: Dodge Charger, V6 engine.
2.	Air conditioning, factory installed
3.	Alternator, 160 amp rating
4.	Battery, heavy duty 12 volt, mfr's standard except minimum 800 CCA, maintenance free
5.	Brakes: anti-lock braking system, four wheel
6.	Cooling system, heavy duty, automatic coolant recovery system with permanent type anti-freeze protected to - 20 degrees F with rust inhibitor. Include silicone or EPDM type hoses.
7.	Clock, dash mounted, in radio
8.	Differential, heavy duty
9.	Power windows, all four doors
10.	Power door locks, all four doors
11.	Engine, high performance 3.6 liter V6, minimum 250 HP, including police package
12.	Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program.
13.	Engine external oil cooler, installed, if available from the mfr.
14.	Floor covering, carpet, color keyed, front and rear.
15.	Include two carpeted or rubber mats in front, and two carpeted mats or one solid or twin rubber mats in rear. If carpeted mats are furnished, must be provided by manufacturer (not aftermarket)
16.	Trunk to include standard floor covering.
17.	Dome light and map/reading light. One such light is to be LED and driver selectable for off-red-white operation, and may in addition (but not in lieu of) be switched on-off by a door-actuated control. Other light is to be activated (on-off) by a door-actuated switch, and may in addition (but not in lieu of) be switched on-off by a driver operated control.
18.	Halogen type head lights with switchable daytime running lamps.
19.	Glove door lock.
20.	Luggage compartment light
21.	Locks, all locks on a vehicle to be keyed alike. Each vehicle to be keyed individually. Three (3) cut keys. Manufacturer-furnished blank for third key may be cut by dealer. Keyless entry, two (2) electronic key fobs.
22.	Mirrors, inside with day/night adjustment
23.	Dual exterior mirrors, remote controlled on left and right side
24.	Paint, all manufacturer's standard and clear coat solid colors to be included in the bid price for the base vehicle
25.	Radio, manufacturer's standard AM/FM stereo with front and rear speakers and CD player.
26.	Rear window defroster, electric (not blower type), with control within convenient reach of driver and clearly marked

**Term Contract 070B**

27.	Remote controlled rear deck lid release. Control to be within convenient reach of driver (not in glove box). Preferred location is left of the steering column. Remote release to be inoperable when ignition switch is in off position; this feature may be dealer provided. Remote release switch must be properly mounted, durable, and fully suited for law enforcement duty including operation during emergency conditions.
28.	Remote hood release, inside
29.	Coil-on-plug type ignition
30.	Seats: Rear cloth bench. Front cloth buckets, with driver side 6-way power adjustable.
31.	Seat belts and shoulder harnesses: attachment to door is not acceptable
32.	Speedometer, certified calibrated speedometer (2 MPH increments) (max. 3% error). Approx. 0-160 MPH indicator
33.	Tilt steering wheel
34.	Power steering external oil cooler
35.	Tires, four (4), tubeless, radial, black sidewall, all-season tread, P225/60R18, W rated, approved and certified for pursuit use on the specific model and configuration of vehicle offered. Goodyear RS-A type tires required.
36.	Transmission, 5-speed automatic
37.	Transmission external oil cooler
38.	Wheels, four (4), 18" x 7.5", steel
39.	Full wheel covers, 18", bolt-on
40.	Windshield wipers, multiple speed electric, intermittent type, with windshield washers
41.	Cruise control
42.	Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.
43.	Space-saver spare tire
44.	Under hood lamp
45.	Speedometer light cutoff switch
46.	Electronic Stability Control
47.	TPMS (Tire Pressure Monitoring System)
48.	Theft Deterrent

**Term Contract 070B**

**I. Item 12**

**Dodge Charger Police Pursuit Vehicle, V8 Hemi, Solid Color, Rear Wheel Drive**

<b>Contractor</b>	<b>Horace G. Ilderton LLC</b>
<b>Mfg.</b>	<b>Dodge</b>
<b>Brand</b>	<b>Charger</b>
<b>Body Code</b>	<b>LDDE48</b>
<b>Trim Level</b>	<b>29A</b>
<b>Order Code</b>	<b>LDDE48</b>
<b>Unit Price</b>	<b>\$21,930.00</b>
<b>Requirements</b>	
1.	Four door sedan, rear wheel drive, five passenger, solid color, EPA large size, V8 Hemi engine, with police package: Dodge Charger Police. All vehicles must comply with Federal Motor Vehicle Safety Standard and Federal Regulations applicable to 2012 model year vehicles covered in this Invitation For Bids.
2.	Air conditioning, factory installed
3.	Alternator, 160 amp rating
4.	Battery, heavy duty 12 volt, mfr's standard except minimum 800 CCA, maintenance free
5.	Brakes: anti-lock braking system, four wheel
6.	Cooling system, severe duty, automatic coolant recovery system with permanent type anti-freeze protected to -20 degrees F with rust inhibitor. Include silicone or EPDM type hoses.
7.	Clock, dash mounted, in radio
8.	Differential, heavy duty
9.	Power windows, all four doors
10.	Power door locks, all four doors
11.	Engine, 8 cylinder Hemi, minimum 355 HP, minimum 5.7 liter, including police package
12.	Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program.
13.	Engine external oil cooler, installed, if available from the mfr.
14.	Floor covering, carpet, color keyed, front and rear. Removable floor mats are NOT required, and may be deleted if standard equipment.
15.	Trunk to include standard floor covering.
16.	Dome light and map/reading light. One such light is to be LED and driver selectable for off-red-white operation, and may in addition (but not in lieu of) be switched on-off by a door-actuated control. Other light is to be activated (on-off) by a door-actuated switch, and may in addition (but not in lieu of) be switched on-off by a driver operated control.
17.	Halogen type head lights with switchable daytime running lamps.
18.	Glove door lock.
19.	Luggage compartment light
20.	Locks, all locks on a vehicle to be keyed alike. Each vehicle to be keyed individually. Three (3) cut keys. Manufacturer-furnished blank for third key may be cut by dealer. Keyless entry, two (2) electronic key fobs.
21.	Mirrors, inside with day/night adjustment
22.	Dual exterior mirrors, remote controlled on left and right side
23.	Paint, all manufacturer's standard and clear coat solid colors to be included in the bid price for the base vehicle
24.	Radio, manufacturer's standard AM/FM stereo with front and rear speakers and CD player.
25.	Rear window defroster, electric (not blower type), with control within convenient reach of driver and clearly marked

**Term Contract 070B**

26.	Remote controlled rear deck lid release. Control to be within convenient reach of driver (not in glove box). Preferred location is left of the steering column. Remote release to be inoperable when ignition switch is in off position; this feature may be dealer provided. Remote release switch must be properly mounted, durable, and fully suited for law enforcement duty including operation during emergency conditions.
27.	Remote hood release, inside
28.	Coil-on-plug type ignition
29.	Seats: Rear cloth bench. Front cloth buckets, with driver side 6-way power adjustable.
30.	Seat belts and shoulder harnesses: attachment to door is not acceptable
31.	Speedometer, certified calibrated speedometer (2 MPH increments) (max. 3% error). Approx. 0-160 MPH indicator
32.	Tilt steering wheel
33.	Power steering external oil cooler
34.	Tires, four (4), tubeless, radial, black sidewall, all-season tread, P225/60R18, W rated, approved and certified for pursuit use on the specific model and configuration of vehicle offered. Goodyear RS-A type tires required and space-saver spare tire.
35.	Transmission, 5-speed automatic
36.	Transmission external oil cooler
37.	Wheels, four (4), 18" x 7.5", steel
38.	Full wheel covers, 18", bolt-on
39.	Windshield wipers, multiple speed electric, intermittent type, with windshield washers
40.	Cruise control
41.	Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.
42.	Under-hood lamp
43.	Speedometer light cutoff switch
44.	Electronic Stability Control
45.	TPMS (Tire Pressure Monitoring System)
46.	Theft Deterrent

**Term Contract 070B**

**9. Contractors**

All known minority, women and disabled owned businesses, as well as disabled business enterprises and nonprofit work centers for the blind and severely disabled, including dealers, will be identified with "Minority Owned", "Woman Owned", "Disabled Owned", "DBE" or "BSD" as appropriate after the vendor number. This is being done in an effort to recognize these businesses and to encourage and promote their use to the greatest extent permitted by law.

When more than one supplier is listed for a particular item, selection should be made, whenever possible, from any of the groups identified above, consistent with agency needs and price considerations.

<b>Contractor Name</b>	<b>Address</b>	<b>Contact Information</b>	<b>Delivery (Days)</b>
Bobby Murray Chevrolet	1820 Capital Boulevard Raleigh NC 27604	Gilbert Hay, Fleet Sales Manager <b>Toll Free:</b> (800) 248-6417 <b>Phone:</b> (919) 834-6441 <b>Fax:</b> (919) 856-8859 <b>E-mail:</b> <a href="mailto:ghay@bobbymurray.com">ghay@bobbymurray.com</a>	60-90 Days
Capital Ford of Wilmington	4222 Oleander Drive Wilmington NC 28403	James Torr, Commercial Manager <b>Toll Free:</b> (800) 783-4271 Ext. 4042 <b>Phone:</b> (910) 313-3200 Ext. 4042 <b>Fax:</b> (910) 452-2017 <b>E-mail:</b> <a href="mailto:jtorr@capitalofwilmington.com">jtorr@capitalofwilmington.com</a>	60-150 Days
Horace G. Ilderton, LLC	701-709 South Main Street High Point NC 27260	Amy Hill, Fleet Manager <b>Phone:</b> (336) 822-8708 <b>Fax:</b> (336) 887-4043 <b>E-mail:</b> <a href="mailto:amyhill@ilderton.com">amyhill@ilderton.com</a>	90-120 Days

**10. Dealer Emblem**

Decals or markings of any type pertaining to advertisement of dealer is not allowed.

**11. Shop Manual**

When requested by the using agency, a shop manual shall be provided within **forty-five (45) days** after receipt of first vehicle of the respective model. Manuals are not included in the vehicle prices herein. Manuals are **6% off MSRP** and will be invoiced separately. Some agencies may request shop manuals in CD format.

## Term Contract 070B

### 12. Service Requirements

All vehicles must be properly serviced and in first class operating condition when delivered to, or designated as ready for pick-up. Contractor shall be responsible for servicing each vehicle as follows in addition to any prior factory servicing.

- a. Complete lubrication.
- b. Check all fluid levels to insure they are filled to manufacturer's recommended capacity. (Crankcase, differential, battery, radiator, power steering, transmission, etc.)
- c. A minimum of five (5) gallons of gasoline at time delivery is completed. AFV's shall have enough usable fuel to travel 75 highway miles at time delivery is completed.
- d. Adjustment of engine to proper operating condition.
- e. Inflating tires to correct pressure.
- f. Careful check to insure perfect operation of all mechanical and electrical features.
- g. Careful check to insure there are no appearance defects.
- h. Thorough cleaning, including washing if necessary, and the removal of all unnecessary tags, stickers, paper, etc.
- i. A State of North Carolina Motor Vehicles Inspection Sticker shall be affixed to each vehicle.
- j. A certificate of origin is to be furnished to the owner.
- k. All vehicles ordered by Motor Fleet Management Division must be furnished with **two (2) sets of keys** with knock-outs removed.
- l. Front license plate brackets must be furnished and installed on all vehicles.
- m. Owners Manual

Each vehicle delivered under this contract is to be in proper working order with all apparent mechanical and appearance defects corrected before delivery.

### 13. Maintenance Training

If requested, contractor will provide product and maintenance training, for designated State personnel. Training locations and schedules will be coordinated by the requesting agency and contractor.

### 14. Warranty

Manufacturer's standard warranty shall apply except that the minimum is as follows: **thirty-six (36) months or 36,000 miles**, whichever occurs first, on entire vehicle, no deductible; and **five (5) years or 100,000 miles**, whichever occurs first, on corrosion.

The State is to receive the benefit of any increase in coverage in manufacturer's new car warranty applicable to vehicles purchased from this contract.

There may be cases of delay, in which vehicles are unable to be placed into operation by the user until several weeks or months after acceptance. To provide for this, but only in cases where delay is significant, the normal warranty start date will be changed such that the number of months on the warranty is counted from the date the respective vehicle is actually placed in operation, up to maximum delay in warranty start date of six (6) months after vehicles acceptance. Documentation substantiating such delays in placement of vehicles into operation will be provided by the using agency upon request by contractor. Contractor may confirm such instances of delay by inspection of the involved vehicles, as applicable, provided such inspections do not interfere with other of the user's operations.

**Warranty shall be extended for miles driven from contractor location to designated pick-up location.**

### 15. Product Recall

In the event of any recall notice, technical service bulletin, or other important notification affecting a vehicle purchased from this contract, such notice will be sent **six (6) years** free of charge to the purchaser listed on the applicable purchase order. Such notice shall reference the purchase order number, agency name, and vehicle serial number. It is imperative for the agency to indicate on the purchase order the individual's name, mailing address, e-mail, telephone number and fax number to send such notifications.

**Term Contract 070B**

**16. Sites of Interest**

**National Highway Traffic Safety Administration**, <http://www.nhtsa.dot.gov>, contains information on recall notices and vehicle alerts.

**17. Vendor Complaint Form**

The Vendor Complaint Form can be found by clicking: [Vendor Complaint Form](#).

**18. Contract Addenda**

Addendum	Effective Date	Description
1	1/20/2012	UNC System exempted from purchasing through Motor Fleet Management