

Term Contract No. 665B

STATE OF NORTH CAROLINA, DEPARTMENT OF ADMINISTRATION		
DIVISION OF PURCHASE AND CONTRACT		
116 West Jones Street, Raleigh, NC 27603-8002		
Term Contract	665B	Bags, Plastic, Trash
Effective Dates	March 1, 2011 through April 30, 2014	
Bid Number	201001319	
Administrator	Debbie Carroll	
Phone	(919) 807-4534	
Fax	(919) 807-4510	
E-Mail	Debbie.Carroll@doa.nc.gov	
Last Updated	January 30, 2012	

1. General Information

Can liners provided on this contract are a return to a mandatory thickness in response to user demand. The can liners awarded on this contract have been tested and evaluated to have significantly increased wet/dry load strength and capacity. This contract offers improvements to the can liners on prior contracts.

If products delivered under this contract do not meet your expectations, please report your problems and concerns by completing the survey at the attached web link: http://www.ncpandc.gov/665BPerformance%20Compaint_9-1-07.pdf

To help you select the can liner that you need we offer the following.

How do I choose the right plastic for the right application? Linear low-density bag verses a high-density bag?

Low-density bags are recommended for carrying sharper objects under tougher transport conditions. They are resistant to puncture and tearing.

High-density bags are great for paper and non-sharp objects under moderate transportation conditions. It uses less plastic than linear low-density bags. High-density bags have superior resistance to puncture and light resistance to tearing.

How do I know the strength of a bag?

The best way to determine the strength of a bag is to use the load rating value in the item tables (pages 3-5). Consider this load to be the lifting strength.

How do I choose the right bag for the right application?

Determine the type of trash that is being stored or hauled (paper, office trash, sharp objects and liquid containment). Select high or low density plastic in the item tables on pages 3-5. (Type1 Style1 or Style 2, or Type2). Determine the strength requirements and select the category of bag, light, medium, heavy duty. Determine the size of container and select the appropriate size bag from the item table.

Click internet link below to view a cross reference of available can liners to typical trash can shapes and sizes

http://www.ncpandc.gov/665BCanLinerShape_9-1-07.pdf

The referenced webpage is provided as a general reference guide only . Some can liners referenced from the contract may be oversized to assure proper fit of minimum can opening or height. Some trash cans may also employ various sizes of rigid inner liners which may be different than the original can or rigid liners originally provided. If you already know the acceptable size liner needed, then use that size.

How do I know that the supplier has delivered the correct count of bags per case?

The way to verify that the correct quantity of bags being delivered is to weigh the unopened case. If the minimum case weight is less than the value shown in the item tables (pages 3-5) the order should be rejected.

Discounts for bulk purchases of can liners are offered on this contract (1-99 Cases, 100-499 Cases, 500-999 Cases and 1000-1500 Cases for each line item. Prices are listed on the e-procurement site. Biohazard bags can be purchased under your delegation.

2. Scope of Contract

The scope of this contract is limited to plastic can liners (types listed below) for use by all State agencies, departments, institutions, universities, community colleges, public schools (except those exempt by Statute) and certain Non-State agencies.

Type 1 Style 1	Linear Low Density and Low Density Can Liners (Light, Medium and Heavy Duty)
Type 1 Style 2	High Density Can Liners (Light, Medium and Heavy Duty)
Type 2	Linear Low Density and Low Density Can Liners (Heavy Duty)

3. Taxes

Prices or Discounts shown herein do not include any North Carolina sales or use taxes.

4. Abnormal Quantities

Any agency requirement that exceeds \$20,000 must be forwarded to the Division of Purchase and Contract for processing. The Division, at its sole discretion, may process any such requirement in one of the following ways:

- a. Purchase may be authorized at the current level of pricing with the current contract vendor(s)
- b. Additional discounts from the current level of pricing may be negotiated with the current contract vendor(s)
- c. A separate Invitation for Bids may be issued for the requirement

5. Minimum Orders

This contract will be for a minimum order of **\$150.00** for any single order. Agencies are authorized to purchase from best available sources on orders less than this minimum order value. This provision shall not be used by an agency to circumvent the intent of the contract. If an agency elects to place an order for less than the minimum order value, then transportation charges will be prepaid and added to the invoice.

6. Placement of Orders

Orders will be placed throughout the contract period on an as-needed basis for the quantity required at the time, and will be issued directly to the respective contractor(s) or their designated suppliers. Contract changes, if any, over the life of the contract are implemented by contract addenda released by the Contract Administrator to the contractor. If the contractor is accepting orders and/or delivering through other parties, for example a manufacturer accepting orders and delivering through a dealer network or dealers receiving orders through a network of other dealers, then it is the responsibility of the contractor to apprise such parties of all such contract addenda.


Order Placement Via E-Procurement (Catalog Items)

- a. Click on the following link: [E-Procurement Users](#)
- b. When placing an order in the e-procurement system, the very first thing to do is to go to the catalog tab and select options. After you have selected options, select contract ID. In the contract ID space type in the contract ID number, 665B.
- c. Please make sure the keywords space is blank and the contract ID is typed in the contract ID section.
- d. After selecting the contract ID and to narrow the search to a particular manufacturer select the manufacturer from the drop down
- e. When the item to be ordered has been located complete the requisition and issue the purchase order.

Non E-Procurement Users

The E-Procurement Public View will be the only place for Non E-Procurement Users to view the item/pricing information.

- a. Click on the following link: [E-Procurement Public View](#)
- b. For online assistance regarding item searching; click on the **“How to”** underlined link located near the upper-right hand corner.



7. Delivery

Bidder agrees to make delivery within fourteen (14) days after receipt of order. In the event the delivery is not received within the contract delivery period, the contractor may be held in default in accordance with paragraph 1, Default And Performance Bond, in the North Carolina General Contract Terms and Conditions, and the State may procure the articles or services from other sources and hold the contractor responsible for excess cost occasioned thereby.

8. Transportation Charges

All goods shall be delivered FOB destination when the "order value" is **\$150.00** or more, when shipped to a single destination. Orders to a single destination that total less than this "order value" should be shipped prepaid, with transportation charges added to the invoice as a separate item. Transportation charges invoiced for orders equal to or more than this "order value" may be cause for removal of the contractor from the contract.

Note: If the contractor makes partial shipments of an order equal to or more than this "order value" to one destination, all shipments of the order shall be sent FOB destination with NO additional transportation charges added.

All shipments should be inspected for damage immediately upon receipt.

9. Item Information

Type 1 Style 1 (Linear Low Density and Low Density Can Liners)

Light Duty

Bags capable of handling office trash, not to exceed the load weight capacity listed.

Item	Size WXDXL	Color	Load Rating (lbs. Min.)	Vendor	Part #	Minimum Thickness	Minimum Case Weight	Qty/Cs	% Recycled pre/Post Consumer
1	15x9x23	Black	12	Central Poly	CP23LK	0.5 mil	9.0 lbs	500	10/0
1-1	15x9x23	Clear	12	Central Poly	CP23LN	0.5 mil	9.0 lbs	500	10/0
2	15x9x32	Black	12	Central Poly	CP32LK	0.5 mil	12.5 lbs	500	10/0
2-1	15x9x32	Clear	12	Central Poly	CP32LN	0.5 mil	12.5 lbs	500	10/0

Medium Duty

Solid and liquid trash not to exceed the load weight capacity listed.

Item	Size WXDXL	Color	Load Rating (lbs. Min.)	Vendor	Part #	Minimum Thickness	Minimum Case Weight	Qty/Cs	% Recycled pre/Post Consumer
3	15x9x23	Black	15	Calico	9910119	1.6 mil	14.5 lbs	250	50/10
3-1	15x9x23	Clear	15	Calico	9911444	1.6 mil	14.5 lbs	250	50/10
4	15x9x32	Black	20	Calico	9910193	1.6 mil	20.25 lbs	250	50/10
4-1	15x9x32	Clear	20	Calico	9910804	1.6 mil	20.25 lbs	250	50/10
5	16x14x36	Black	40	Calico	9910208	1.6 mil	28.5 lbs	250	50/10
5-1	16x14x36	Clear	40	Calico	9911445	1.6 mil	28.5 lbs	250	50/10
6	23x10x39	Black	40	Calico	9910292	1.6 mil	34.0 lbs	250	50/10
6-1	23x10x39	Clear	40	Calico	9911446	1.6 mil	34.0 lbs	250	50/10
7	23x17x46	Black	45	Calico	9911447	1.6 mil	39.0 lbs	200	50/10
7-1	23x17x46	Clear	45	Calico	9911448	1.6 mil	39.0 lbs	200	50/10
8	24x20x48	Black	45	Calico	9911449	1.6 mil	22.3 lbs	100	50/10
8-1	24x20x48	Clear	45	Calico	9910408	1.6 mil	22.3 lbs	100	50/10
9	22x14x58	Black	45	Calico	9910536	1.6 mil	22.1 lbs	100	50/10
9-1	22x14x58	Clear	45	Calico	9910569	1.6 mil	22.1 lbs	100	50/10
10	22x16x58	Black	45	Calico	9911450	1.6 mil	23.3 lbs	100	50/10
10-1	22x16x58	Clear	45	Calico	9910847	1.6 mil	23.3 lbs	100	50/10
11	22x16x60	Black	45	Calico	9910592	1.6 mil	24.1 lbs	100	50/10
11-1	22x16x60	Clear	45	Calico	9910578	1.6 mil	24.1 lbs	100	50/10
12	31x17x65	Black	45	Calico	9910505	1.6 mil	33.0 lbs	100	50/10
12-1	31x17x65	Clear	45	Calico	9911451	1.6 mil	33.0 lbs	100	50/10

Term Contract No. 665B

Heavy Duty

Solid and liquid trash not to exceed the load weight capacity listed.

Item	Size WXDXL	Color	Load Rating (lbs. Min.)	Vendor	Part #	Minimum Thickness	Minimum Case Weight	Qty/Cs	% Recycled pre/Post Consumer
13	16x14x36	Black	55	Calico	9911452	2.2 mil	39.25 lbs	250	50/10
13-1	16x14x36	Clear	55	Calico	9911453	2.2 mil	39.25 lbs	250	50/10
14	23x10x39	Black	55	Calico	9910291	2.2 mil	18.7 lbs	100	50/10
14-1	23x10x39	Clear	55	Calico	9911454	2.2 mil	18.7 lbs	100	50/10
15	23x17x46	Black	55	Calico	9910441	2.2 mil	26.8 lbs	100	50/10
15-1	23x17x46	Clear	55	Calico	9910430	2.2 mil	26.8 lbs	100	50/10
16	24x20x48	Black	60	Calico	9910014	2.2 mil	30.7 lbs	100	50/10
16-1	24x20x48	Clear	60	Calico	9910909	2.2 mil	30.7 lbs	100	50/10
17	22x14x58	Black	60	Calico	9910535	2.2 mil	30.4 lbs	100	50/10
17-1	22x14x58	Clear	60	Calico	9910835	2.2 mil	30.4 lbs	100	50/10
18	22x16x58	Black	60	Calico	9910587N	2.2 mil	32.1 lbs	100	50/10
18-1	22x16x58	Clear	60	Calico	9911129	2.2 mil	32.1 lbs	100	50/10
19	22x16x60	Black	60	Calico	9910587	2.2 mil	33.2 lbs	100	50/10
19-1	22x16x60	Clear	60	Calico	9911455	2.2 mil	33.2 lbs	100	50/10
20	31x17x65	Black	60	Calico	9911456	2.2 mil	45.4 lbs	100	50/10
20-1	31x17x65	Clear	60	Calico	9910457	2.2 mil	45.4 lbs	100	50/10

Type 1 Style 2 (High Density Can Liners)

Light Duty

Bags capable of handling office trash, not to exceed the load weight capacity listed.

Item	Size WXDXL	Color	Load Rating (lbs. Min.)	Vendor	Part #	Minimum Thickness	Minimum Case Weight	Qty/Cs	% Recycled pre/Post Consumer
21	24 x 24	Black	8	Central Poly	CP24K	6 microns	9.0 lbs	1000	50/10
21-1	24 x 24	Clear	8	Central Poly	CP24N	6 microns	9.0 lbs	1000	50/10
22	24 x 33	Black	12	Central Poly	CP33K	8 microns	17.0 lbs	1000	50/10
22-1	24 x 33	Clear	12	Central Poly	CP33N	8 microns	17.0 lbs	1000	50/10

Term Contract No. 665B

Medium Duty

Solid and liquid trash not to exceed the load weight capacity listed.

Item	Size WXDXL	Color	Load Rating (lbs. Min.)	Vendor	Part #	Minimum Thickness	Minimum Case Weight	Qty/Cs	% Recycled pre/Post Consumer
23	30 x 37	Black	35	Central Poly	CP37K	11 microns	16.5 lbs	500	10/0
23-1	30 x 37	Clear	35	Central Poly	CP37N	11 microns	16.5 lbs	500	10/0
24	33 x 40	Black	35	Central Poly	CP40K	11 microns	19.5 lbs	500	10/0
24-1	33 x 40	Clear	35	Central Poly	CP40N	11 microns	19.5 lbs	500	10/0
25	40 x 48	Black	45	Central Poly	CP48HK	14 microns	14.6 lbs	200	10/0
25-1	40 x 48	Clear	45	Central Poly	CP48HN	14 microns	14.6 lbs	200	10/0
26	38 x 65	Black	45	Central Poly	CP65HK	14 microns	18.8 lbs	200	10/0
26-1	38 x 65	Clear	45	Central Poly	CP65HN	14 microns	18.8 lbs	200	10/0
27	36 x 58	Black	45	Central Poly	CP58HK	14 microns	39.5 lbs	500	10/0
27-1	36 x 58	Clear	45	Central Poly	CP58HN	14 microns	39.5 lbs	500	10/0
28	44 x 48	Black	45	Central Poly	CP4448HK	14 microns	20.0 lbs	250	10/0
28-1	44 x 48	Clear	45	Central Poly	CP4448HN	14 microns	20.0 lbs	250	10/0

Heavy Duty

Solid and liquid trash not to exceed the load weight capacity listed.

Item	Size WXDXL	Color	Load Rating (lbs. Min.)	Vendor	Part #	Minimum Thickness	Minimum Case Weight	Qty/Cs	% Recycled pre/Post Consumer
29	30 x 37	Black	55	Central Poly	CP37XHK	17 microns	25.5 lbs	500	10/0
29-1	30 x 37	Clear	55	Central Poly	CP37XHN	17 microns	25.5 lbs	500	10/0
30	33 x 40	Black	55	Central Poly	CP40XHK	17 microns	30.5 lbs	500	10/0
30-1	33 x 40	Clear	55	Central Poly	CP40XHN	17 microns	30.5 lbs	500	10/0
31	40 x 48	Black	60	Central Poly	CP48XHK	17 microns	22.25 lbs	250	10/0
31-1	40 x 48	Clear	60	Central Poly	CP48XHN	17 microns	22.25 lbs	250	10/0
32	44 x 48	Black	60	Central Poly	CP4448XHK	17 microns	24.5 lbs	250	10/0
32-1	44 x 48	Clear	60	Central Poly	CP4448XHN	17 microns	24.5 lbs	250	10/0
33	36 x 58	Black	60	Central Poly	CP58XHK	17 microns	19.2 lbs	200	10/0
33-1	36 x 58	Clear	60	Central Poly	CP58XHN	17 microns	19.2 lbs	200	10/0
34	38 x 65	Black	60	Central Poly	CP65XHK	17 microns	22.8 lbs	200	10/0
34-1	38 x 65	Clear	60	Central Poly	CP65XHN	17 microns	22.8 lbs	200	10/0

Term Contract No. 665B

Type 2 (Linear Low Density and Low Density Can Liners)

Heavy Duty

Solid and liquid trash not to exceed the load weight capacity listed. Typical DOT use.

Item	Size WXDXL	Color	Load Rating (lbs. Min.)	Vendor	Part #	Minimum Thickness	Minimum Case Weight	Qty/Cs	% Recycled pre/Post Consumer
35	23x10x39	Orange	45	Calico	9911458	2.0 mil	34.0 lbs	200	50/10
36	23x10x39	Blue	45	Calico	9911459	2.0 mil	34.0 lbs	200	50/10
37	23x10x39	White	45	Calico	9960136	2.0 mil	34.0 lbs	200	50/10
38	30x15x42	Black	55	Calico	9911460	2.0 mil	31.25 lbs	125	50/10
38-1	30x15x42	Clear	55	Calico	9911461	2.0 mil	31.25 lbs	125	50/10

Type 3 (Linear Low Density and Low Density Can Liners)

Heavy Duty

Solid and liquid trash not to exceed the load weight capacity listed. Typical Correction use, if needed.

NOTE: NO TWIST TIES SHALL BE PROVIDED FOR THE FOLLOWING ITEMS:

Item	Size WXDXL	Color	Load Rating (lbs. Min.)	Vendor	Part #	Minimum Thickness	Minimum Case Weight	Qty/Cs	% Recycled pre/Post Consumer
39	15x9x23	Clear	20	Central Poly	CP23N	1.0 mil	18.0 lbs	500	10/0
40	23x10x39	Clear	50	Central Poly	CP39N	1.6 mil	34.0 lbs	250	10/0
41	22x14x58	Clear	50	Central Poly	CP58N	1.6 mil	33.15 lbs	150	10/0

10. Price Lists and Catalogs

The successful contractor must furnish descriptive literature to any agency within seven (7) consecutive days after request of the agency. Failure to comply with these requirements may subject the contractor to removal from the contract.

11. Contractors

All known minority, women and disabled owned businesses, as well as disabled business enterprises and nonprofit work centers for the blind and severely disabled, including dealers, will be identified with “Minority owned” “Woman owned”, “Disabled Owned”, “DBE” or “BSD” as appropriate after the vendor number. This is being done in an effort to recognize these businesses and to encourage and promote their use to the greatest extent permitted by law.

When more than one supplier is listed for a particular item, selection should be made, whenever possible, from any of the groups identified above, consistent with agency needs and price considerations.

Contractor Name	Address	Contact(s)	Phone/ Fax	Terms (Days)
Calico Industries, Inc.	9045 Junction Drive Annapolis Junction, MD	Vanessa Smith vsmith@calicoindustries.com OR Jon Jaret jjaret@calicoindustries.com	800-638-0828 Ex. 223 301-470-3100 Ex. 223 301-575-0131 Fax 800-638-0828 Ex. 237 301-470-3100 Ex. 237 301-575-0131 Fax	Net 30
Central Poly Corporation	P.O. Box 4097 Linden, NJ 07036	Andrew Hoffer andy@centralpoly.com OR David Freier dave@centralpoly.com	800 480-2247 Ex. 310 908-862-7570 Ex. 310 908-862-9019 Fax 800-480-2247 Ex. 304 908-862-7570 Ex. 304 908-862-9019 Fax	Net 30

12. WARRANTY

The contractor guarantees items offered to be free from any and all defects in material, packaging, and workmanship and agrees to replace defective items promptly at no charge to the State.

13. Substitutions

Substitutions are not permitted without prior approval of the Division of Purchase and Contract. Failure of the contractor to comply with this requirement may result in the removal of the contractor from the contract.

14. Contract Addenda

Addendum	Effective Date	Description
1	April 14, 2011	Central Poly has been awarded Type 1, Style 2, Light Duty
2	October 25, 2011	Price increase on all items for Calico Industries, Inc.
3	January 31, 2012	Price increase on all items for Central Poly Corporation