

## Term Contract No. 760C

STATE OF NORTH CAROLINA, DEPARTMENT OF ADMINISTRATION		
DIVISION OF PURCHASE AND CONTRACT		
116 West Jones Street, Raleigh, NC 27603-8002		
<b>Term Contract</b>	<b>765C</b>	<b>A-Boom Mower Attachment</b>
<b>Effective Dates</b>	<b>March 7, 2014 through March 6, 2017-Non-Renewable</b>	
<b>Bid Number</b>	201400028	
<b>Administrator</b>	Chris TArt	
<b>Phone</b>	(919) 807-4540	
<b>Fax</b>	(919) 807-4510	
<b>E-Mail</b>	<a href="mailto:chris.tart@doa.nc.gov">chris.tart@doa.nc.gov</a>	
<b>Last Updated</b>	January 8, 2014	

### 1. General Information

Users of this contract are to place their orders directly with the contractor noted herein and not the local dealers. Purchase orders do not have to be routed through this Division. It is recommended that you follow up with the contractor after placing order to ensure the order was received.

### 2. Scope of Contract

The scope of this contract is intended to cover the State's normal requirements for A Boom Mower Attachment(s) for use by all State Agencies, Institutions, and all Public Schools except those exempt by Statute noted herein. As per House Bill 490, Community Colleges have the flexibility to not use this contract if they can locate the item(s) that is the same or substantially similar in quality, service, and performance as items available under State term contracts and the delivered price is less than that on term contract with all features, terms, and conditions being the same.

#### **NON-STATE AGENCIES ELIGIBLE TO PARTICIPATE IN THIS CONTRACT**

In accordance with North Carolina General Statutes, certain non-state entities described below, may participate in this contract on a voluntary basis. Any of the non-state entities that choose to participate in this contract must abide by the terms and conditions that are set forth in this contract.

Nonprofit corporations operating charitable hospitals, local nonprofit community sheltered workshops or centers that meet standards established by the Division of Vocational Rehabilitation of the Department of Health and Human Services, private nonprofit agencies licensed or approved by the Department of Health and Human Services as child placing agencies, residential child-care facilities, private nonprofit rural, community, and migrant health centers designated by the Office of Rural Health and Resource Development, private higher education institutions, counties, public school units, cities, towns, governmental entities, volunteer fire departments, rescue squads, and other subdivisions of the State and public agencies thereof.

**TRAINING:** Upon delivery, training is required and the successful vendor shall provide a qualified representative to instruct the owners operators in the proper operation, routine maintenance, safety and service.

### 3. Taxes

Prices or Discounts shown herein do not include any North Carolina sales or use taxes.

### 4. Abnormal Quantities

Any agency requirement that exceeds \$500,000 must be forwarded to the Division of Purchase and Contract for processing. The Division, at its sole discretion, may process any such requirement in one of the following ways:

1. Purchase may be authorized at the current level of pricing with the current contract vendor(s)
2. Additional discounts from the current level of pricing may be negotiated with the current contract vendor(s)
3. A separate Invitation for Bids may be issued for the requirement

### 5. Minimum Orders

This contract will be for a minimum order of one unit for any single order.

## 6. Placement of Orders

Orders will be placed throughout the contract period on an as-needed basis for the quantity required at the time, and will be issued directly to the respective contractor(s) or their designated suppliers. Contract changes, if any, over the life of the contract are implemented by contract addenda released by the Contract Administrator to the contractor. If the contractor is accepting orders and/or delivering through other parties, for example a manufacturer accepting orders and delivering through a dealer network or dealers receiving orders through a network of other dealers, then it is the responsibility of the contractor to apprise such parties of all such contract addenda.

### Steps to place your order via E-Procurement:

1. When placing an order in the e-procurement system, go to the catalog tab and select options. After you have selected options, select contract ID. In the contract ID space type in the contract ID number 760C.
2. Make sure the keywords space is blank and the contract ID is typed in the contract ID section. Click search.
3. To narrow the search to a particular manufacturer select the manufacturer from the drop down.
4. When the item to be ordered has been located complete the requisition and issue the purchase order.
5. When ordering Implements place those orders through the Non-Catalog tab. You can follow the ordering instructions located at [http://www.doa.state.nc.us/PandC/ordering\\_instructions.htm](http://www.doa.state.nc.us/PandC/ordering_instructions.htm) for Implements.
6. Please note that all purchase orders will go directly the manufacturer and not the local dealers. The manufacturers have arranged to forward the purchase orders to the local dealer.
7. To make sure that your purchase order reaches the correct dealer please put comments in the purchase order for the manufacturer giving the preferred dealer.

## 7. Delivery

The contractor(s) will complete delivery within 90 days after receipt of purchase order.

In the event the delivery is not received within the contract delivery period, the contractor may be held in default in accordance with paragraph 1, DEFAULT AND PERFORMANCE BOND in the North Carolina General Contract Terms and Conditions, and the state may procure the articles or services from other sources and hold the contractor responsible for excess cost occasioned thereby.

## 8. Transportation Charges

All goods shall be delivered FOB DESTINATION when the "order value" is one unit or more, when shipped to a single destination. Transportation charges invoiced for orders equal to or more than this "order value" may be cause for removal of the contractor from the contact.

NOTE: If the contractor makes partial shipments of an order equal to or more than this "order value" to one destination, all shipments of the order shall be sent FOB DESTINATION with NO additional transportation charges added.

Note! All shipments should be inspected for damage immediately upon receipt.

## 9. Item Pricing Information and brief description

Quality Equipment, LLC  
 2214 N. Main St.  
 Fuquay Varina, NC 27526  
 "Your local John Deere Dealer"

Page: 20  
 BID No. 201400028

BIDDER: \_\_\_\_\_

**FURNISH AND DELIVER:**

A mid mount, articulated boom, rotary mower, hydraulically driven by a tractor engine driven pump to be furnished in accordance with the attached specifications & questionnaire.. Units shall be furnished with the published standard equipment whether specified or not.

**SPECIAL NOTE:**

No minimum or maximum number of units to be purchased is guaranteed.  
 Please provide a price for each item whether or not an anticipated quantity is shown.  
 The average yearly quantities for mowers ordered by the state is around 12 mowers.  
 Tractors manufacturer and models will be specify and the successful bidder will be informed, once the tractors bid is awarded.

ITEM	QTY	UOM	DESCRIPTION	UNIT COST	TOTAL EXTENDED COST
1.	1	Each	Installation of boom mower, complete and ready for service, including transport of the tractors as described in the "General" paragraph of the "Specification Bid Requirements."  MFR. <u>Tiger</u> MODEL <u>Install</u>	\$ <u>3590.00</u>	\$ <u>3590.00</u>
2.	1	Each	Boom Mower w/ Rotary Head, per attached specifications.  MFR. <u>Tiger</u> MODEL <u>NCSBR-TRB 60-3PS</u>	\$ <u>35150.00</u>	\$ <u>35150.00</u>
3.	1	Each	Boom Mower w/ Flail Head, per attached specifications.  MFR. <u>Tiger</u> MODEL <u>NCSBF-50-3PS</u>	\$ <u>33275.00</u>	\$ <u>33275.00</u>
4.	1	Each	Optional "joystick" control for the boom and mower head manipulations in lieu of the standard lever controls.  MFR. <u>Tiger</u> MODEL <u>NE JOY</u>	\$ <u>5370.00</u>	\$ <u>5370.00</u>

Quality Equipment, LLC  
 2214 N. Main St.  
 Fuquay Varina, NC 27526  
 "Your local John Deere Dealer"

Page: 21  
 BID No. 201400028

BIDDER: \_\_\_\_\_

ITEM	QTY	UOM	DESCRIPTION	UNIT COST	TOTAL EXTENDED COST
5.	1	Each	Rotary Head only, per attached specifications and requirements. MFR. <u>Tiger</u> MODEL <u>NE 60 RH</u>	\$ <u>9980.00</u>	\$ <u>9980.00</u>
6.	1	Each	Flail Head only, per attached specifications and requirements. MFR. <u>Tiger</u> MODEL <u>NC 50 BH</u>	\$ <u>7550.00</u>	\$ <u>7550.00</u>
7.	1	Each	Saw Head only, per attached specifications and requirements. MFR. <u>Tiger</u> MODEL <u>NE SB 50</u>	\$ <u>8895.00</u>	\$ <u>8895.00</u>
8.	1	Each	Ditcher Head only, per attached specifications and requirements. MFR. <u>Tiger</u> MODEL <u>NC D 22</u>	\$ <u>5875.00</u>	\$ <u>5875.00</u>

TOTAL BID AMOUNT \$ 109,685.00

Quality Equipment, LLC  
2214 N. Main St.  
Fuquay Varina, NC 27526  
"Your local John Deere Dealer"

Page: 22  
BID No. 201400028

BIDDER: \_\_\_\_\_

**SPECIFICATION BID REQUIREMENTS**

**1. GENERAL:**

These units will be used by NCDOT to cut vegetation, brush, limbs, saplings, and grass along roadsides, behind ditch-lines and other areas not accessible to conventional mowing equipment on State maintained right-of-ways. The units offered on this bid are to include installation on new tractors provided by NCDOT. Installation includes pick up and return of tractors from/to, 4809 Beryl Road, Raleigh, NC. Manufacturer's published literature must be submitted with bid.

- a. Manufacturer: Tiger
- b. Model: Bengal 24
- c. Weight of mower not installed: 7280 Lbs.

**REQUESTED**

**OFFERED**

- a. The boom mower shall be right side mid-mount and hydraulically operated.
- b. The unit shall be front pump driven from the engine crankshaft.
- c. Only a standard current production machine, which has been in production for a minimum of (1) year, may be offered on this bid. Manufacturer's published literature must be submitted with bid.
- d. With unit installed, there shall be a minimum of 1,500 lbs of down force on the left rear tire when the boom is fully extended 90 degrees to the right and with the head raised just above ground level. (Adding ballast inside the tires is not acceptable to achieve this requirement.)
- e. Wheel weights may be utilized to achieve the required down force on the left rear tire as long as they do not exceed the tractor or tire manufacturer's recommendations. If wheel weights are to be used, how many weights will be used and what will be the total amount of the wheel weights? (based on a single rear wheel configuration)
- f. Installation of mower offered shall be accepted and approved by the tractor manufacturer.
- g. The installed unit mounted on the tractor, shall not exceed 11 feet in overall height in the transport mode with the boom in the cradle rest.
- h. The installed unit outfitted with a 60 inch rotary head, mounted on the tractor described above, shall not exceed 102 inches in overall width in the transport mode with the boom in the cradle rest. (based on a single rear wheel configuration)
- i. Shall meet all Federal and State OSHA requirements in effect at the time of purchase and shall meet the requirements of SAE J232 (Industrial Rotary Mowers).

Yes  No

Yes  No

4 Yrs./Production

The amount of down force under the described conditions is 1730 Lbs.

1 Weights

1700 Lbs.

Yes  No

Yes  No

Yes  No

Yes  No

Quality Equipment, LLC  
2214 N. Main St.  
Fuquay Varina, NC 27526  
"Your local John Deere Dealer"

Page: 23  
BID No. 201400028

BIDDER: \_\_\_\_\_

**2. FRAME:**

- a. The unit frame shall as a minimum, attach to the rear axle and front bolster of the tractor chassis. Yes  No
- b. The unit frame shall be bolt-on design requiring no field welding. Yes  No
- c. The frame and all the components of the unit shall provide clear and unobstructed view sufficient for mower operation. Yes  No
- d. The unit frame, hydraulic tank, or frame counter weights shall not protrude outside the left rear tire. Yes  No
- e. Checking fluid levels and performing preventive maintenance on the tractor shall not be obstructed by the mounting frame or other components of the unit. Yes  No

**3. STANDARD CUTTER HEAD:**

- a. The cutting head shall be a minimum 60 inch rotary cutting head with rear discharge. Yes  No
- b. The cutting head shall be capable of cutting grass, weeds, and wood up to 5 inches in diameter. Yes  No
- c. The cutting head shall have a hydraulically operated center feed door, controlled from the operator's station. Yes  No
- d. When the door is opened, the blades will be allowed to extend a minimum of 7 inches beyond the deck shield for heavy brush cutting. Yes  No
- e. The side skirts shall be a minimum of 3/8 inch steel and have full-length, bolt-on, replaceable skid-shoes. Yes  No
- f. With cutter head resting on level ground, there is to be approximately 3 inches of ground clearance between the ground and the rotating blades. 2.5 Inches
- g. The blades shall be double-edged, reversible, 360 degree full swinging and constructed of tempered steel. Yes  No
- h. The head must feature a hydraulic swivel function which allows the operator to rotate it to face the direction of travel relative to any given boom mowing position. This function will also serve as a means of positioning the head behind the tractor when the boom is in the cradle rest in transport mode. Yes  No

BIDDER: \_\_\_\_\_

**4. ADDITIONAL ATTACHMENTS:**

Additional attachments will be requested under furnish and deliver to be used in lieu of the rotary cutter head. The attachments must be standard production attachments offered by the mower manufacturer. Manufacturer's published literature must be submitted with bid.

Please indicate the availability of the following;

- a. Minimum 48 inch flail head with a hydraulically actuated door for cutting grass, weeds, and wood up to 5 inches in diameter.
- b. Minimum 48 inch saw blade cutter for cutting wood up to 6 inches in diameter.
- c. Minimum 22 inch ditch cleaning head.

Yes  No

Yes  No

Yes  No

**5. SAFETY SHIELDS:**

- a. The right side tractor door glass shall be replaced with a polycarbonate window that offers abrasion resistance equivalent to Lexan™ MR10. (a separate hinged door will not be accepted)
- b. The driveline from the engine crankshaft to the hydraulic pump shall be enclosed.
- c. A grill guard mounted to the tractor frame shall be included. The guard shall be of sufficient size and strength to protect the hydraulic pump and the radiator grill from frontal impact.
- d. The grill guard shall not interfere with the opening of the tractor hood or accessibility to any standard maintenance operation.

Yes  No

Yes  No

Yes  No

Yes  No

**6. HYDRAULIC SYSTEM:**

- a. The unit shall have sufficient hydraulic oil supply, reservoir capacity, pump capacity and cooling system for full operation for up to 8 hours in ambient temperatures ranging from 20 degrees Fahrenheit through 100 degrees Fahrenheit without the use of the tractor hydraulic system.
- b. The hydraulic reservoir shall not impair visibility or operator access.
- c. The reservoir tank shall have a capacity gauge, a filler neck screen and an in-tank 10 micron filter.
- d. The reservoir tank shall have a restriction gauge rated for 95 GPM full flow.
- e. All hydraulic circuits shall have hydraulic relief valves.
- f. Hydraulic system shall allow for a minimum of four control functions to be operated simultaneously.
- g. All high pressure hydraulic hoses and all hydraulic hoses used at flexible positions on the boom shall be wire braid reinforced.

Yes  No

Quality Equipment, LLC  
2214 N. Main St.  
Fuquay Varina, NC 27526  
"Your local John Deere Dealer"

Page: 25  
BID No. 201400028

BIDDER: \_\_\_\_\_

h. The hydraulic system shall contain an oil-to-air cooler with electric fan and be mounted and guarded in such a way as to protect it from damage by limbs or debris. The location and guarding of this cooler shall be approved by NCDOT.

Yes  No

7. CONTROLS:

a. All boom functions and mower head manipulations shall be hydraulically controlled from the in cab controls.

Yes  No

b. All boom and mower head controls shall be operated by remote control cables coupled to standard lever controls and be within easy reach of the seated operator and shall be individually labeled.

Yes  No

c. The controls shall have a safety lockout switch which prevents tractor from being started with mower cutter head engaged.

Yes  No

d. The unit shall have an emergency shut down switch within easy reach of the seated operator that will stop blade rotation within six seconds from full operating speed.

Yes  No

e. As an option, NCDOT may or may not request a joystick control for the boom and mower head manipulations in lieu of the standard lever controls. Is that option available?

Yes  No

8. BOOM:

a. The boom shall be constructed for use in severe duty mowing operations.

Yes  No

b. Horizontal boom swing shall be a minimum of 120 degrees and hydraulically operated.

Yes  No

c. The boom shall be designed to accept the installation of the rotary head, flail head, saw head or ditching head, without modifications to the head hitch post or the boom assembly.

Yes  No

d. With a 60 inch rotary head installed the unit shall have a minimum horizontal cut reach of 22 feet, measured from the center line of the tractor to the outside of the cut.

25.1 Feet

e. With a 60 inch rotary head installed the unit shall have a minimum cut reach height of 22 feet.

22.5 Feet

f. With a 60 inch rotary head installed the unit shall have a minimum cut reach of 9 feet below tractor ground level.

14.4 Feet

g. With a 60 inch rotary head installed the unit shall cut within 6 inches of the right side wheels of the tractor.

Yes  No

h. There shall be a boom cradle rest to provide adequate support of the boom sections and boom cylinders in the transport mode.

Yes  No

i. The boom mower shall be built to accept the above mentioned heads without modifications to the head hitch post or the boom dipper assembly.

Yes  No

Quality Equipment, LLC  
2214 N. Main St.  
Fuquay Varina, NC 27526  
"Your local John Deere Dealer"

Page: 26  
BID No. 201400028

BIDDER: \_\_\_\_\_

**NCDOT ONLY**  
**EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE (EPMQ)**  
Revised 05/05

The successful bidder or manufacturer's technical representative must complete and return this form within **10 days after receiving the Purchase Order** to the Equipment & Inventory Control Fleet Procurement Section. Failure to furnish to the DOT Highway Equipment Engineer will delay payment.

Successful Bidder: \_\_\_\_\_  
Purchase Order No. \_\_\_\_\_ Bid No. \_\_\_\_\_  
Description \_\_\_\_\_  
Equipment Make \_\_\_\_\_ Quantity Purchased \_\_\_\_\_  
Equipment Model \_\_\_\_\_  
Weight of equipment \_\_\_\_\_ Gross Vehicle Weight \_\_\_\_\_  
Equipment Overall Height \_\_\_\_\_ Overall Width \_\_\_\_\_ Overall Length \_\_\_\_\_

Engine: Make \_\_\_\_\_ Model \_\_\_\_\_  
Number of Cylinders \_\_\_\_\_ Engine Type (Circle One): In-line or V  
Engine Horsepower \_\_\_\_\_ Engine Displacement: \_\_\_\_\_ Liters  
Engine Oil Capacity \_\_\_\_\_ (Quarts) Oil Filter Make \_\_\_\_\_  
Oil Filter Part No., Primary \_\_\_\_\_ Secondary \_\_\_\_\_  
Recommended Engine Oil Type \_\_\_\_\_  
Recommended Oil Weight, 1<sup>st</sup> Choice \_\_\_\_\_, 2<sup>nd</sup> Choice \_\_\_\_\_, 3<sup>rd</sup> Choice \_\_\_\_\_  
Air Filter Make \_\_\_\_\_  
Air Filter Part No.; Primary \_\_\_\_\_ Secondary \_\_\_\_\_  
Fuel Type: Gas \_\_\_\_\_, Diesel \_\_\_\_\_, LPG \_\_\_\_\_, CNG \_\_\_\_\_, BIO \_\_\_\_\_ Fuel Tank Capacity: \_\_\_\_\_ (Gals.)  
Filter Make \_\_\_\_\_  
Fuel Filter Part No.; Primary: \_\_\_\_\_ Secondary: \_\_\_\_\_  
Fuel/Water Separator Filter Part No. \_\_\_\_\_

Fuel

**Coolant System:** Antifreeze Type \_\_\_\_\_ (Extended, Long Life, Conventional, etc.)  
Color \_\_\_\_\_ Mixture \_\_\_\_\_  
Radiator Capacity \_\_\_\_\_ (Quarts)  
Coolant Filter Make \_\_\_\_\_ Part No. \_\_\_\_\_

**Transmission:** Make \_\_\_\_\_ Model \_\_\_\_\_ Automatic \_\_\_\_\_ Manual \_\_\_\_\_  
Recommended Fluid/Lube Type: \_\_\_\_\_  
Fluid/Lube Capacity: \_\_\_\_\_ (Quarts)  
Recommended Additive \_\_\_\_\_ Part No. \_\_\_\_\_  
Recommended Additive Mixture & Capacity \_\_\_\_\_  
Transmission Filter Make \_\_\_\_\_ Part No. \_\_\_\_\_  
Clutch Make \_\_\_\_\_ Model \_\_\_\_\_ Size \_\_\_\_\_  
Recommended Clutch Fluid Type \_\_\_\_\_

**1<sup>st</sup> Rear Differential:** Make \_\_\_\_\_ Model \_\_\_\_\_  
Axle Size \_\_\_\_\_ (LBS.)  
Recommended Fluid/Lube Type \_\_\_\_\_  
Fluid/Lube Capacity \_\_\_\_\_ (Quarts) Additive Capacity \_\_\_\_\_  
Recommended Additive \_\_\_\_\_ Part No. \_\_\_\_\_  
Recommended Additive Mixture & Capacity \_\_\_\_\_

**2<sup>nd</sup> Rear Differential:** Make \_\_\_\_\_ Model \_\_\_\_\_  
Axle Size \_\_\_\_\_ (LBS.)  
Recommended Fluid/Lube Type \_\_\_\_\_  
Fluid/Lube Capacity \_\_\_\_\_ (Quarts) Additive Capacity \_\_\_\_\_  
Recommended Additive \_\_\_\_\_ Part No. \_\_\_\_\_  
Recommended Additive Mixture & Capacity \_\_\_\_\_

**Front Differential:** (4 X 4) Make \_\_\_\_\_ Model \_\_\_\_\_  
Axle Size \_\_\_\_\_ (LBS.)  
Recommended Fluid/Lube Type \_\_\_\_\_  
Fluid/Lube Capacity \_\_\_\_\_ (Quarts)

Quality Equipment, LLC  
 2214 N. Main St.  
 Fuquay Varina, NC 27526  
 "Your local John Deere Dealer"

Page: 28  
 BID No. 201400028

BIDDER: \_\_\_\_\_

**QUESTIONNAIRE**

**THE FOLLOWING MUST BE FILLED IN BY THE BIDDER**

**SERVICE**

Names, addresses and telephone numbers of representatives who will render services under this contract (Use additional sheets if necessary):

*Quality Equipment, LLC*

Name	Randy Ayscure	Phone	919-217-5533
Address	901 Three Sisters Rd.	Fax	919-217-5564
City, State, Zip	Knightdale, N.C., 27545	Email	Service1@qualityequip.com
Name	Angie Farmer	Phone	919-735-3305
Address	2110 US Hwy 70 W	Fax	919-217-5564
City, State, Zip	Goldsboro, N.C., 27530	Email	Service2@qualityequip.com
Name	Tracy Roberts	Phone	910-285-5188
Address	3900 SDC II Hwy	Fax	910-285-6405
City, State, Zip	Wallace, N.C., 28466	Email	Service3@qualityequip.com
Name	Tracy Weeks	Phone	910-592-5550
Address	6005 Pop Road.	Fax	910-592-0587
City, State, Zip	Clinton, N.C., 28308	Email	Service4@qualityequip.com

**DISTRIBUTION**

Number of distribution points from which contract will be serviced: 13  
 (Use additional sheets if necessary)

Distribution points location (City & State):		
1	Fuquay-Varina, N.C.	8
2	Knightdale, N.C.	9
3	Henderson, N.C.	10
4	Dunn, N.C.	11
5	Goldsboro, N.C.	12
6	Clinton, N.C.	13
7	Wallace, N.C.	14
	Jacksonville, N.C.	
	Burlington, N.C.	
	Roxboro, N.C.	
	Carthage, N.C.	
	Albemarle, N.C.	
	Wadesboro, N.C.	

Quality Equipment, LLC  
 2214 N. Main St.  
 Fuquay Varina, NC 27526  
 "Your local John Deere Dealer"

Page: 28  
 BID No. 201400028

BIDDER: \_\_\_\_\_

**QUESTIONNAIRE**

**THE FOLLOWING MUST BE FILLED IN BY THE BIDDER**

**SERVICE**

Names, addresses and telephone numbers of representatives who will render services under this contract (Use additional sheets if necessary):

*Quality Equipment, LLC*

Name	Tim Bowman	Phone	252-438-4111
Address	70 John Deere Rd.	Fax	252-492-4076
City, State, Zip	Henderson, NC, 27537	Email	Service5@qualityequip.com

Name	Kevin Maynard	Phone	919-346-5410
Address	2214 N Main St	Fax	919-346-5418
City, State, Zip	Fuquay Varina, NC, 27526	Email	Service6@qualityequip.com

Name	Justin Brown	Phone	910-892-6171
Address	1500 S Clinton Ave	Fax	910-892-4689
City, State, Zip	Dunn, NC, 27834	Email	Service7@qualityequip.com

Name	Marc Denny	Phone	336-227-6207
Address	2001 Old Durham Rd.	Fax	336-227-5228
City, State, Zip	Roxboro, NC, 27573	Email	Service8@qualityequip.com

**DISTRIBUTION**

Number of distribution points from which contract will be serviced: 13  
 (Use additional sheets if necessary)

Distribution points location (City & State):			
1	Fuquay-Varina, N.C.	8	Jacksonville, N.C.
2	Knightdale, N.C.	9	Burlington, N.C.
3	Henderson, N.C.	10	Roxboro, N.C.
4	Dunn, N.C.	11	Carthage, N.C.
5	Goldsporo, N.C.	12	Albemarle, N.C.
6	Clinton, N.C.	13	Wadesboro, N.C.
7	Wallace, N.C.	14	

Quality Equipment, LLC  
 2214 N. Main St.  
 Fuquay Varina, NC 27526  
 "Your local John Deere Dealer"

Page: 28  
 BID No. 201400028

BIDDER: \_\_\_\_\_

**QUESTIONNAIRE**

**THE FOLLOWING MUST BE FILLED IN BY THE BIDDER**

**SERVICE**

Names, addresses and telephone numbers of representatives who will render services under this contract (Use additional sheets if necessary):

*Quality Equipment, LLC*

Name	Todd Smith	Phone	336-227-6207
Address	2115 Stanley Drive	Fax	336-597-3903
City, State, Zip	Burlington, Nc, 27215	Email	Service 9@qualityequip.com

Name	Mike Silreous	Phone	910-347-4566
Address	3231 New Bean Hwy	Fax	910-938-9652
City, State, Zip	Jacksonville, Nc, 28546	Email	Service 10@qualityequip.com

Name	Victoria Shooter	Phone	910-947-2943
Address	804 Monroe Street	Fax	910-947-1700
City, State, Zip	Carthage, Nc, 28546	Email	Service 11@qualityequip.com

Name	Ewell Almond	Phone	704-983-2161
Address	336 Hwy 2427 Bypass E	Fax	704-983-3006
City, State, Zip	Albemarle, Nc, 28001	Email	Service 12@qualityequip.com

**DISTRIBUTION**

Number of distribution points from which contract will be serviced: 13  
 (Use additional sheets if necessary)

Distribution points location (City & State):		
1	Fuquay-Varina, N.C.	8
2	Knightdale, N.C.	9
3	Henderson, N.C.	10
4	Dunn, N.C.	11
5	Goldshoro, N.C.	12
6	Clinton, N.C.	13
7	Welloce, N.C.	14
	Jacksonville, N.C.	
	Burlington, N.C.	
	Roxboro, N.C.	
	Carthage, N.C.	
	Albemarle, N.C.	
	Wadesboro, N.C.	

Quality Equipment, LLC  
 2214 N. Main St.  
 Fuquay Varina, NC 27526  
 "Your local John Deere Dealer"

Page: 28  
 BID No. 201400028

BIDDER: \_\_\_\_\_

**QUESTIONNAIRE**

**THE FOLLOWING MUST BE FILLED IN BY THE BIDDER**

**SERVICE**

Names, addresses and telephone numbers of representatives who will render services under this contract (Use additional sheets if necessary):

<i>Quality Equipment, LLC</i>			
Name	<i>Dennis Turner</i>	Phone	<i>704-983-2161</i>
Address	<i>894 Os Hwy 525</i>	Fax	<i>704-983-3086</i>
City, State, Zip	<i>Wadesboro, Nc 28170</i>	Email	<i>Service13@qualityequip.com</i>
Name		Phone	
Address		Fax	
City, State, Zip		Email	
Name		Phone	
Address		Fax	
City, State, Zip		Email	
Name		Phone	
Address		Fax	
City, State, Zip		Email	

**DISTRIBUTION**

Number of distribution points from which contract will be serviced: 13  
 (Use additional sheets if necessary)

Distribution points location (City & State):			
1	<i>Fuquay-Varina, N.C.</i>	8	<i>Jacksonville, N.C.</i>
2	<i>Knightdale, N.C.</i>	9	<i>Burlington, N.C.</i>
3	<i>Henderson, N.C.</i>	10	<i>Roxboro, N.C.</i>
4	<i>Dunn, N.C.</i>	11	<i>Carthage, N.C.</i>
5	<i>Goldsporo, N.C.</i>	12	<i>Abernacle, N.C.</i>
6	<i>Clinton, N.C.</i>	13	<i>Wadesboro, N.C.</i>
7	<i>Wetmore, N.C.</i>	14	

Quality Equipment, LLC  
 2214 N. Main St.  
 Fuquay Varina, NC 27526  
 "Your local John Deere Dealer"

Page: 29  
 BID No. 201400028

BIDDER: \_\_\_\_\_

**ORDERING INFORMATION:**

List the authorized dealers that will service this contract (Use additional sheets if necessary):

Name	Quality Equipment LLC	Phone	
Address	901 Three Sisters Rd.	919-217-5533	
City, State, Zip	Knightdale, NC, 27545	919-217-5564	
Contact	Todd Bennett	Tbennett@qualityequip.com	
Name	Quality Equipment LLC	Phone	
Address	2110 Us Hwy 70 W	919-730-3305	
City, State, Zip	Goldston, NC, 27530	919-217-5564	
Contact	Keith Lause	Klause@qualityequip.com	
Name	Quality Equipment LLC	Phone	
Address	3900 S NC 11 Hwy	910-285-5188	
City, State, Zip	Wallake, NC, 28466	910-285-6405	
Contact	Joey Williams	Jwilliams@qualityequip.com	
Name	Quality Equipment LLC	Phone	
Address	6065 Pugh Rd.	910-592-5550	
City, State, Zip	Clinton, NC, 28328	910-592-0587	
Contact	Rick Thiapen	Rthiapen@qualityequip.com	
Name	Quality Equipment LLC	Phone	
Address	70 John Deere Rd.	252-438-4111	
City, State, Zip	Henderson, NC, 27537	252-492-8076	
Contact	Brian Ellington	Bellington@qualityequip.com	
Name	Quality Equipment LLC	Phone	
Address	2214 N Main St.	919-346-5410	
City, State, Zip	Fuquay Varina, NC, 27526	919-346-5418	
Contact	JEFF FLOYD	Jfloyd@qualityequip.com	

Product information telephone number: \_\_\_\_\_

Quality Equipment, LLC  
 2214 N. Main St.  
 Fuquay Varina, NC 27526  
 "Your local John Deere Dealer"

Page: 29  
 BID No. 201400028

BIDDER: \_\_\_\_\_

**ORDERING INFORMATION:**

List the authorized dealers that will service this contract (Use additional sheets if necessary):

Name	Quality Equipment LLC	Phone	
Address	1500 S Clintons Ave	Fax	910-892-6171
City, State, Zip	Dunn, Nc, 28334	Email	910-892-4689
Contact	Steve Dove		Steve@qualityequip.com
Name	Quality Equipment LLC	Phone	
Address	2601 Old Durham Rd.	Fax	336-599-0238
City, State, Zip	Roxboro, Nc, 27573	Email	336-597-3903
Contact	Barry Foushee		Bfoushee@qualityequip.com
Name	Quality Equipment LLC	Phone	
Address	2115 Stanley Drive	Fax	336-227-6207
City, State, Zip	Burlington, Nc, 27215	Email	336-227-3228
Contact	Lee Byrd		Lbyrd@qualityequip.com
Name	Quality Equipment LLC	Phone	
Address	3231 New Bern Hwy	Fax	910-347-4566
City, State, Zip	Jacksonville, Nc, 28546	Email	910-938-9652
Contact	Danny Dickerson		Ddickerson@qualityequip.com
Name	Quality Equipment LLC	Phone	
Address	804 Monroe Street	Fax	910-947-2943
City, State, Zip	Carthage, Nc, 28546	Email	910-947-1700
Contact	Sammy Riddle		SRiddle@qualityequip.com
Name	Quality Equipment LLC	Phone	
Address	338 Hwy 24-27 Bypass E	Fax	704-983-2161
City, State, Zip	Albemarle, Nc, 28001	Email	704-983-3006
Contact	Dean Bowers		DBowers@qualityequip.com

Product information telephone number: \_\_\_\_\_

Quality Equipment, LLC  
 2214 N. Main St.  
 Fuquay Varina, NC 27526  
 "Your local John Deere Dealer"

BIDDER: \_\_\_\_\_

**ORDERING INFORMATION:**

List the authorized dealers that will service this contract (Use additional sheets if necessary):

Name	Quality Equipment LLC	Phone	
Address	894 US Hwy 52 South	Fax	704-694-6016
City, State, Zip	Wadesboro, NC, 28170	Email	704-694-6346
Contact	Stan Bowers	StowersEqualityequip.com	
Name		Phone	
Address		Fax	
City, State, Zip		Email	
Contact			
Name		Phone	
Address		Fax	
City, State, Zip		Email	
Contact			
Name		Phone	
Address		Fax	
City, State, Zip		Email	
Contact			
Name		Phone	
Address		Fax	
City, State, Zip		Email	
Contact			
Name		Phone	
Address		Fax	
City, State, Zip		Email	
Contact			

Product information telephone number: \_\_\_\_\_

Quality Equipment, LLC  
 2214 N. Main St.  
 Fuquay Varina, NC 27526  
 "Your local John Deere Dealer"

Page: 30  
 BID No. 201400028

BIDDER:

NC Supplier Contact Form

Company Information	
Company Name	Quality Equipment, LLC.
Address	2214 N. Main St.
City, State, Zip Code	Fuquay-Varina, N.C. - 27526
Company Phone	919-346-5410
Company Fax	919-346-5418
Description of Products Sold	Comm, Agricultural Const, Consumer Equip. + Parts
Does your company utilize fulfillment partners/channel partners (dealers, distributors, resellers, etc.)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Customer Service Phone Number	919-346-5410
Ariba Network ID (if applicable)	
Dun & Bradstreet Number	809557890
Website URL (if applicable)	www.qualityequip.com
<b>Business Contact – Person who understands NC relationships and who can serve as a project manager</b>	
First and Last Name	Larry Baker
Job Title	Gov't. Sales Rep.
Phone Number	919-346-5410 X 40622 or 919-868-7266 (Cell)
Fax Number	919-346-5418
E-Mail Address	lbaker@qualityequip.com
Address (if different from above)	
<b>Technical Contact – (If different from above) – Person within your organization who can assist with the creation of an electronic product catalog for your contract line items</b>	
First and Last Name	Heethay Brown
Job Title	Admin. Person Branch 6
Phone Number	919-346-5410 X 40610
Fax Number	919-346-5418
E-Mail Address	admin6@qualityequip.com
Address (if different from above)	
<b>Corporate eCommerce Contact – (If different from above) – Person within your organization who best understands the company eCommerce initiatives and will communicate these initiatives to the organization</b>	
First and Last Name	Andy Coletrana
Job Title	Network Administrator
Phone Number	919-306-5958
Fax Number	919-346-5418
E-Mail Address	acoletrana@qualityequip.com
Address (if different from above)	

## 10. Price Lists and Catalogs

The successful contractor must furnish descriptive literature, MSRP for options and implements to any agency within five (5) consecutive days after request of the agency. Failure to comply with these requirements may subject the contractor to removal from the contract.

## 11. Contractors

All known minority, women and disabled owned businesses, as well as disabled business enterprises and nonprofit work centers for the blind and severely disabled, including dealers, will be identified with "Minority owned" "Woman owned", "Disabled Owned", "DBE" or "BSD" as appropriate after the vendor number. This is being done in an effort to recognize these businesses and to encourage and promote their use to the greatest extent permitted by law.

When more than one supplier is listed for a particular item, selection should be made, whenever possible, from any of the groups identified above, consistent with agency needs and price considerations.

Contractor Name	City, State, Zip	Contact, Phone, Fax
Quality Equipment, LLC	2214 N. Main Street Fuquay-Varina, NC 27527	Larry Baker 919-346-5410 919-346-5418 (Fax) <a href="mailto:lbaker@qualityequip.com">lbaker@qualityequip.com</a>

## 12. Warranty

Bidder warrants that equipment furnished on this bid will be new and of good material and workmanship. Defective parts found to be free of negligence or accident will be replaced free of charge for 12 months from respective dates the machines are put in operations. Such replacement is to include all parts, labor, freight, and travel to site where equipment is down (statewide locations). If warranty work needs to be performed at an authorized dealer facility the bidder is responsible for providing transportation or reimbursing the State for transportation. In addition, any specific provisions in the manufacturer's standard warranty that exceed the above requirement shall become part of the warranty on this contract.

Under same and all conditions as above, the power train (engine, transmission, torque converter, and final drive) shall be covered for an additional period of at least 24 months. Any periodic inspections, which may be performed by the contractor or his representative, shall be without charge to the owner.

## 13. Substitutions

Substitutions are not permitted without prior approval of the Division of Purchase and Contract. Failure of the contractor to comply with this requirement may result in the removal of the contractor from the contract.

## 14. Contract Addenda

Addendum	Description	Effective Date
1	Administrator Change	1/8/14